



Nordic
Innovation

New Offshore Wind Ports in the Nordics

Opportunities for collaboration
and strategic innovation



NOW Ports

8. mill
NOK in funding

Project period:
Jan 2022 -
Dec 2023

Funded by
Nordic Innovation

New Offshore Wind Ports in the Nordics

With the support of Nordic Innovation, a large international consortium will facilitate cooperation and development of Nordic ports in Denmark, Sweden and Norway and Finland.

The goal is to make Nordic ports ready for the expanding offshore wind industry with a stronger green infrastructure and new value chains across developers, manufacturers and subcontractors for offshore wind. In this project, 17 Nordic ports and sites will enter an innovative collaboration with offshore wind players in order to upgrade, redesign and adapt existing facilities and decarbonise the port's infrastructure.

Objectives

This project aims to create the most attractive, innovative and cost-effective concept for future offshore wind port infrastructure and supply chain in the Nordics (both bottom fixed and floating).

HOW we achieve this

Nordic ports and sites will enter in innovative collaborations with players in the offshore wind supply chain through an open innovation platform, with a view to:

- Uncovering specific opportunities for collaboration and strategic innovation
- Improve productivity and logistics
- Upgrading and redesign existing port's infrastructure
- Decarbonize port's infrastructure

Supporting development of Nordic Ports and their respective supply chains as one of world's leading offshore wind hubs.

NOW Ports Industry Ecosystem

Nordic Ports and Sites




Cluster Organizations



Industry Participants






The importance of Nordic Offshore Wind Ports

Europe has 30 GW of offshore wind today.

The REPowerEU envisages a huge expansion by 2030. The ambition is a delivering of 165 GW of offshore wind in Europe. On top of this we need to add the goals from the Esbjerg, Ostend, Marienborg declarations. As it is today, the offshore wind supply chain in Europe is not large enough to deliver this!

Materializing these very ambitious targets will not come without challenges. One important challenge is the Port infrastructure. Hence, to achieve these ambitious goals a rapid increase in annual installation rates is required.



Source: Wind Europe 2023

What does it mean for Ports?

The Nordic ports look into a future with

- More projects to ensure a suitable port infrastructure
- Expansion of Port facilities – It is at the moment hard to get suitable port facilities
- Floating wind with a clear definition of how to handle business areas such as space and logistics.



We need to look at cost reduction, scale & industrialization, supply chain readiness and suitable ports' infrastructure capable to catering for manufacturing, marshalling, installation of WTGs and major OFW components are certainly among some of the challenges!

Ports mapping:

During the NOWPorts project we have been looking into how to prepare the ports for the upcoming years. One of the results of this is a mapping of all involved ports.

The mapping contains a Port overview, including location, area, Quay information, distance to sites etc., some background information, main features and strengths of each port.



Source: map.4coffshore.com/offshorewind/



Port of Grenaa

Support your business

Port of Grenaa

Background:

Port of Grenaa is one of Denmark's leading ports for preassembly and O&M (Operation and Management).

During 2021 the Tetra Spar Demonstrator floating wind project was assembled at the port of Grenaa and finally towed to the test operating site off the Norwegian coast.

With the installation of Anholt Offshore Wind Farm during 2011-2013, we cemented our reputation and recognition as a professional wind port for the offshore wind industry - both nationally and internationally.



Main features:

Solutions for the wind industry have been at the heart of Port of Grenaa for numerous years. We work with many stakeholders on onshore and offshore wind projects. From floating wind turbines, upcycling and recycling, to pre-assembly and O&M. Therefore, we have the whole package available for future offshore wind farms in Kattegat.

We offer the ideal setup for handling and shipping large wind turbine components. There is plenty of space to work safely and



efficiently. A jack-up area with reinforced seabed for installation vessels, 100% green shore power.

Strengths:

Experience, knowledge, flexibility, specialised service companies, good sailing conditions, good year-round navigability, local rescue service, local pilot station, water-depth up to 11 m, 100% green power, onshore power, 24/7 service.

Role as Offshore Wind (OFW) Port:

- Manufacturing of OFW components
- Pre-assembly / installation
- O&M
- Decommissioning

Contact Information:

Representative name: Theis Gisselbæk

Email: tgi@port-of-grenaa.com

Phone nr: (+45) 40 94 13 07

Port overview

Location	Havnecentervej 1, DK-8500 Grenaa, Denmark
Coordinates	56°24.4'N 10°55.5'E
Ownership	Limited company [Grenaa Havn A/S]
Activities	Business areas: Wind, Energy & Innovation, Bulk, Ferries- & Shipping Lines, Recycle & Waste Management and Stacking & Maintenance.
Main usage	An important hub in the center of Denmark. As one of Denmark's major industrial and commercial ports, we efficiently handle cargo from land to sea for the benefit of business and society.
Total area (m2) incl. storage area	1.425.000 m2 Warehouses 52,500 m2
Quay berth length (m)	2.500 m
Quay berth width (m)	Up to 50 m
Quay draft (m LAT)	Up to 11 m
Quayside Bearing Capacity(t/m2)	Uniform load up to 4.5-30 t/m ²
Bearing capacity	Up to 25-50t/m2
Craneage capabilities	144 metric tons / TWIN-LIFT up to 250 metric tons
Water depth and seabed conditions	Up to 11 m
Track record in renewables	Anholt Offshore Wind Farm. Tetra Spar floating. Stacking. Etc.

Proximity to Offshore Wind sites	Approx. 26 km / 14 NM to Anholt Offshore Wind Farm. Offshore wind projects in Kattegat - see map.
Proximity of Supply Chain	At and around port of Grenaa is a large number of dedicated and professional suppliers and service companies. The companies solve tasks within all of the Port of Grenaa's business areas
Ro/Ro Capabilities	Yes
Jack up Capabilities	Yes




ESBJERG HAVN
~~~~~

# Port of Esbjerg

## Background:

Port Esbjerg is Denmark's largest North Sea port. It is the leading port for offshore wind power in Europe, the primary service and supply port for the Danish oil & gas industry and a Northern hub for cargo, especially RoRo transport. The highly developed supply chain at the Port Esbjerg includes experienced sub-suppliers and service providers offering customer support 24/7.



## Main features:

Port Esbjerg has been the primary base port for all oil and gas activities in the Danish part of the North Sea. Port Esbjerg is the leading port for wind power in Europe.

## Strengths:

Sustainability is a key focus area at Port Esbjerg. We work consistently to lower our carbon footprint and aim to become a climate-neutral port. Therefore, we work on several green initiatives. We team up with national and international sustainability projects, and we are focused on waste recycling and on increasing the use of onshore power. Read more about our sustainability initiatives below.

Wind offshore.

**Additional relevant information (for example):**

Expansion of 570.000 m2.

**Role as Offshore Wind (OFW) Port:**

- Manufacturing of OFW components
- Pre-assembly / installation
- O&M
- Decommissioning

**Contact Information:**

Representative name: Jesper Bank

Email: jba@portesbjerg.dk

Phone nr.: +45 51961840

# Port overview

|                                    |                                                                                                                                      |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Port Esbjerg, Hulvejen 1, 6700 Esbjerg                                                                                               |
| Coordinates                        | 55°28,006'N 008°25,531'E                                                                                                             |
| Ownership                          | Limited company [Grenaa Havn A/S]                                                                                                    |
| Activities                         | Project cargo, offshore supply base, offshore wind, bulk,ro-ro, fishing, tank, shipyard, mob-demob of vessels/rig, wind installation |
| Main usage                         | Wind, offshore oil & gas, ro-ro                                                                                                      |
| Total area (m2) incl. storage area | 4.500.000 m2                                                                                                                         |
| Quay berth length (m)              | 14.500 m                                                                                                                             |
| Quay berth width (m)               | 25 m                                                                                                                                 |
| Quay draft (m LAT)                 | Up to 11,3 m                                                                                                                         |
| Quayside Bearing Capacity(t/m2)    | Up to 20 ton/m²                                                                                                                      |
| Bearing capacity                   | Up to 80 t/m²                                                                                                                        |
| Craneage capabilities              | Liebherr 280, 400, 500 and 2x800                                                                                                     |
| Water depth and seabed conditions  | 9,1 m sand/clay                                                                                                                      |
| Track record in renewables         | Wind components storage                                                                                                              |
| Proximity to Offshore Wind sites   | Horns Rev 1 app 40 km/20 nm                                                                                                          |
| Proximity of Supply Chain          | Plenty suppliers located in port area                                                                                                |
| Ro/Ro Capabilities                 | yes                                                                                                                                  |
| Jack up Capabilities               | yes                                                                                                                                  |




# NorSea Esbjerg, Denmark

## Background:

NorSea Denmark has been operating the largest offshore energy supply base in Denmark since 1974. As a one-stop-shop service provider to the entire offshore energy industry, we have supplied innovative, flexible, and safe solutions for more than 50 years. We are dedicated to keeping a safe workplace and focused on operational costs efficiency; reducing emissions and minimizing complexity through digitalization and automation.

As a proud, pioneering partner in the energy industry, we find it natural to use those skills and insight in transforming the industry supply chain into a low emission leadership. Naturally, we set the bar for ourselves with an ambitious goal of being the first zero emission supply base in the world.



## Main features:

Energy Solutions is your access to an experienced, efficient, productive, and competent workforce in the onshore and offshore energy sector. Logistics Department provides full service international logistics solutions by air, rail, road, and sea. Customs specialists from NorSea saves you time, worries, and money. Agency services are built on local knowledge and a global network of specialists and offices. Stevedoring has more than 45 years' experience from planning and executing all types

of vessel operations within the Oil & Gas, Wind, or Project Cargo Markets. Warehousing offers short- and long-term storage to meet every need and demand. Property and Facility manage over 10.000 m2 office space and more than 50.000 m2 indoor warehousing, of which 35.000 m2 is quayside. NorSea Property is administration approx. 300.000 m2, and we can supply leases of offices, industrial areas, and yard storage and warehousing to meet your every demand.

### **Strengths:**

NorSea operates the largest Supply Base in Denmark offering tailor made One-Stop-Shop Logistic Solutions for all operators and suppliers in the Energy Sector. Protecting the safety of our employees, stakeholders, facilities, and environment is at the heart of everything we do at NorSea. By 2025, NorSea Denmark wants to be the first zero emissions offshore base operation in the world. One Stop Shop



### **Role as Offshore Wind (OFW) Port:**

- Manufacturing of OFW components
- Pre-assembly / installation
- Marshalling / installation campaign prep.
- O&M
- Decommissioning

### **Contact Information:**

Representative name: Lars Skov

Email: lars.skovchristensen@norseagroup.com

Phone nr.: +45 3070 2666

## **Port overview**

|                                           |                                                                                                                                                                                                                          |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Location</b>                           | Esbjerg, Syddanmark, Denmark                                                                                                                                                                                             |
| <b>Coordinates</b>                        | 55°27'42.3"N 8°26'52"E                                                                                                                                                                                                   |
| <b>Ownership</b>                          | Long term lease contract                                                                                                                                                                                                 |
| <b>Activities</b>                         | Port Service, pre-assembly, stevedoring, custom, agency, handling & freight forwarding                                                                                                                                   |
| <b>Main usage</b>                         | A large site suitable for oil & gas and realization of offshore wind ambitions <ul style="list-style-type: none"><li>• Storage, production, and assembly of component.</li><li>• Pre-assembly of wind turbines</li></ul> |
| <b>Total area (m2) incl. storage area</b> | Office: 12.000 m - Warehouse: 75.000 m2<br>Outdoor Storage: 300.000 m2                                                                                                                                                   |

|                                   |                                                                                                                            |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Quay berth length (m)             | App 1000 m                                                                                                                 |
| Quay berth width (m)              |                                                                                                                            |
| Quay draft (m LAT)                | 8-11 m                                                                                                                     |
| Quayside Bearing Capacity(t/m2)   | 5 tons/m2 (planned)                                                                                                        |
| Bearing capacity                  | 70 t – 100t /1x1 m                                                                                                         |
| Craneage capabilities             | Up to 308 tonnes                                                                                                           |
| Water depth and seabed conditions | 9-12meters<br>Sand                                                                                                         |
| Track record in renewables        | Largest wind port in the North Sea with deliveries to more than 56 wind parks in the world                                 |
| Proximity to Offshore Wind sites  | Access to all wind parks in the North sea between 30 nm to 250 nm                                                          |
| Proximity of Supply Chain         | Located 10 minutes from E20 and 250 km to Copenhagen and Hamburg. Placed in a strong maritime industry and offshore region |
| Ro/Ro Capabilities                | Planned 70m width                                                                                                          |
| Jack up Capabilities              | Planned 10 m depth                                                                                                         |




PORT OF  
**ROENNE**  
Together we create

# Port of Roenne

## Background:

Being the largest commercial port on Bornholm, Port of Roenne is vital in securing transport of cargo and passengers to and from the island. The growing market in offshore wind in the Southern Baltic Sea, was a catalyst in expanding the port with up to 350.000 m<sup>2</sup>'s heavy duty area in the coming years. So far the port have been involved in the projects Kriegers Flak DK WTG, Arcadis Ost FOU and Arcadis Ost WTG & Baltic Eagle WTG with more to come in the pipeline.



## Main features:

With 250.000 m<sup>2</sup>'s heavy duty area already ready build and additional 100.000 m<sup>2</sup>'s to be added within the next year, the port is ready to accommodate two projects at the same time. We offer future-proof infrastructure combined with a 24/7-mentatilty securing the best possible foundation for the projects.

## Strengths:

The 350.000 m<sup>2</sup> in the southern part of the port is designed for the sole purpose of storing offshore wind components. This reflects in the very high bearing capacity to the benefit of the port's customers.

### **Role as Offshore Wind (OFW) Port:**

- Manufacturing of OFW components
- Pre-assembly / installation
- O&M
- Decommissioning

### **Contact Information:**

Representative name: Jeppe la Cour

Email: jlc@portofroenne.com

Phone nr.: +45 2345 8765

## **Port overview**

|                                           |                                                                                                                                                                                                                                                                     |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Location</b>                           | Fiskerivej 1, 3700 Roenne - DK                                                                                                                                                                                                                                      |
| <b>Coordinates</b>                        |                                                                                                                                                                                                                                                                     |
| <b>Ownership</b>                          | Limited Company – (Rønne Havn A/S)                                                                                                                                                                                                                                  |
| <b>Activities</b>                         | Ferries, Cruise, Bulk & Offshore Wind                                                                                                                                                                                                                               |
| <b>Main usage</b>                         | As the Island of Bornholm's main port – the majority of the goods passes the port's quays. Tourists and cruise guests are also frequent visitors to the port and the massive investment in offshore Wind in the Southern Baltic Sea also creates a lot of activity. |
| <b>Total area (m2) incl. storage area</b> | 830.000 m2<br>Incl. 350.000 m2 heavy duty area for OW                                                                                                                                                                                                               |

|                                          |                                                                      |
|------------------------------------------|----------------------------------------------------------------------|
| <b>Quay berth length (m)</b>             | 1.345 meters for OW-projects                                         |
| <b>Quay berth width (m)</b>              | Minimum 50 meters                                                    |
| <b>Quay draft (m LAT)</b>                | 11,00 meters                                                         |
| <b>Quayside Bearing Capacity(t/m2)</b>   | Up to 50 t/m2                                                        |
| <b>Bearing capacity</b>                  | 20 t/m2 – 80 t/m2                                                    |
| <b>Craneage capabilities</b>             | 64 tons – LHM250                                                     |
| <b>Water depth and seabed conditions</b> | 11 meters. Jurassic Clay                                             |
| <b>Track record in renewables</b>        | DK Kriegers Flak, Arcadis Ost FOU, Arcadsi OST WTG, Baltic Eagle WTG |
| <b>Proximity to Offshore Wind sites</b>  | Baltic Eagle – 60 Km from Port of Roenne                             |
| <b>Proximity of Supply Chain</b>         | Offshore Center Bornholm located at the Port of Roenne               |
| <b>Ro/Ro Capabilities</b>                | Yes                                                                  |
| <b>Jack up Capabilities</b>              | Yes                                                                  |



**Port of Gävle**

# Port of Gävle


## Background:

Port of Gävle is the largest logistic hub in Central Sweden and situated only two hours from Stockholm. The region's steel, wood and paper industries start their journey around the globe, from Port of Gävle. Port of Gävle also handles input goods for industry, fuel, consumer goods and project loads that will be distributed throughout the country. Port facilities have been used for handling components for wind installation.



## Main features:

The biggest container terminal on the east coast and the third largest in the country with a unique CFS-storage as well as food inspection facility. A bulk terminal with four quays and several large warehouses directly connected to the quays. One of Sweden's largest energy ports.



### **Strengths:**

As a logistic hub, Port of Gävle can contribute to the green transformation by acting as a barrier-lowering and enabling agent. An important part of this is to link the emerging fossil-free energy system with an existing logistics system.

Major investments have been made in upgrading the entrance channel, new warehouses, railways and other facilities.

Port can support offshore wind installation as well as operation and maintenance services.

### **Additional relevant information (for example):**

Environmental permits have been granted to triple the volume of goods.

### **Role as Offshore Wind (OFW) Port:**

- Manufacturing of OFW components
- Pre-assembly / installation
- O&M
- Decommissioning

### **Contact Information:**

Representative name:

Natalie Gerami Wallner

Email: [natalie.gerami\\_wallner@gavlehamn.se](mailto:natalie.gerami_wallner@gavlehamn.se)

Phone nr.: +46 79 072 90 92

# Port overview

|                                    |                                                                                                                                                                                |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Gävle (North Sweden)                                                                                                                                                           |
| Coordinates                        | 60.69358718011932, 17.20707813852869                                                                                                                                           |
| Ownership                          | Municipality of Gävle                                                                                                                                                          |
| Activities                         | Container, energy, bulk, combi, CFS, wind                                                                                                                                      |
| Main usage                         | Port of Gävle is a full-service port that handles a variety of goods. Mainly forestry, steel and energy products, containers and project loads to and from Swedish industries. |
| Total area (m2) incl. storage area | 3 800 000 m2<br>1 000 000 m2 storage area                                                                                                                                      |
| Quay berth length (m)              | 2800 m                                                                                                                                                                         |
| Quay berth width (m)               | 28-42 m                                                                                                                                                                        |
| Quay draft (m LAT)                 | 6,0-12,2 m                                                                                                                                                                     |
| Quayside Bearing Capacity(t/m2)    | 24 t/m <sup>2</sup>                                                                                                                                                            |
| Bearing capacity                   | 24 t/m2                                                                                                                                                                        |
| Craneage capabilities              | 186 t                                                                                                                                                                          |
| Water depth and seabed conditions  | 13,4 meters,                                                                                                                                                                   |
| Track record in renewables         | Wind components storage                                                                                                                                                        |


|                                         |                                                                                                                                                              |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Proximity to Offshore Wind sites</b> | Storgrundet, 100 km from port of Gävle                                                                                                                       |
| <b>Proximity of Supply Chain</b>        | The port's customers and operators include major industrial and commercial companies, shipping companies, transport companies and freight forwarding agents. |
| <b>Ro/Ro Capabilities</b>               | No                                                                                                                                                           |
| <b>Jack up Capabilities</b>             | Yes                                                                                                                                                          |



# Port of Trelleborg

## Background:

Port of Trelleborg is the largest RoRo port in Scandinavia. It handles a significant share of the Swedish foreign export/import volumes. Today 16 RoPax ferries operate regularly in the four transport corridors between Trelleborg and the Continent. The geographic location of Trelleborg as Sweden's most southern port, only 85 km from the German border, creates excellent conditions for timetables with high frequencies.



### **Main features:**

- Largest RoRo port in Scandinavia and the shortest route to the continent.
- One of five Swedish core ports
- Approx. 9 % of Swedish imports and exports pass Trelleborg's quays.
- Second in Sweden in terms of cargo volumes in ton.
- The Baltic Sea's largest railway port with rail ferries in the world that operate from port
- The largest rail ferries in the world operate Port of Trelleborg.

### **Port of Trelleborg's offshore wind strategy, includes:**

- Vision: To become a premium port service provider to offshore wind business in south Baltic Sea
- Port services: intermediate storage/ pre-assembly port/O&M port
- Cost-effective services: Upgrade physical infrastructure, One-stop shop, Customized solutions.
- Market expansion: Market strategy, Promotion activities, collaboration projects
- The cleanest Port in the Baltic Sea: The port is active in various climate projects. Port of Trelleborg has developed an environmental program with five overarching objectives and action areas

### **Strengths:**

- 55 km to the Copenhagen airport, Direct access to highway E6/ E20, Daily ferry connections with Lubeck/ Travemunde, Rostock, Swinoujscie and Klaipedia
- Shortest route from Scandinavia to the continent
- Port lays in the middle of the city with direct access to urban infrastructure

### Role as Offshore Wind (OFW) Port:

- Manufacturing of OFW components
- Pre-assembly / installation
- O&M
- Decommissioning

### Contact Information:

Representative name: Torgny Nilsson

Email: [Torgny.nilsson@port.Trelleborg.se](mailto:Torgny.nilsson@port.Trelleborg.se)

Phone nr.: +46709369709



# Port overview

|                                    |                                                                                                                                                                                                               |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Trelleborg (South Sweden)                                                                                                                                                                                     |
| Coordinates                        | N55° 22'00,00 E13° 09'06,00                                                                                                                                                                                   |
| Ownership                          | Municipality of Trelleborg                                                                                                                                                                                    |
| Activities                         | Mainly a RoRo Port                                                                                                                                                                                            |
| Main usage                         | Mainly a RoRo Port                                                                                                                                                                                            |
| Total area (m2) incl. storage area | Logistics centre of 30,000 m <sup>2</sup> with direct rail access to the warehouse. For Offshore Wind activities mainly, 100 000 m <sup>2</sup> possible and separated surface inside of the Port (Berth 14). |
| Quay berth length (m)              | Total quay length 5,400 m                                                                                                                                                                                     |
| Quay berth width (m)               | 13 berths including 8 ferry berths for regular traffic including 7 with double RoRo ramps and 2 directly rail-linked                                                                                          |
| Quay draft (m LAT)                 | 7.4- 9 m                                                                                                                                                                                                      |
| Quayside Bearing Capacity(t/m2)    |                                                                                                                                                                                                               |
| Bearing capacity                   | 2Partially gravel and partially paved, sheltered, 8m from quay<br>the ground pressure is "unlimited"                                                                                                          |
| Craneage capabilities              | Mobil cranes                                                                                                                                                                                                  |
| Water depth and seabed conditions  | 9m. Overall good conditions for jack-up : Limestone with possibility to lay stone and fortify                                                                                                                 |
| Track record in renewables         | 2013-2016: Port of Trelleborg was a base port in the construction of the German part of Kriegers FlakBaltic 2012-ongoing: Port of Trelleborg has been frequently used as a base by survey vessels             |

**Proximity to Offshore  
Wind sites**

Proximity to offshore wind farms under development in south Baltic Sea: Sydkustens Vind (500 MW), Skåne (1,5GW), KriegersFlak (1.2), Polish Baltica 2&3 (2.5 GW)

---

**Proximity of Supply  
Chain**

Close

**Ro/Ro Capabilities**

Yes. RoRo with unrestricted headroom for load out of the towers as well for nacelle

**Jack up Capabilities**

Yes

---



# Port of Stavanger

## About us:

Port of Stavanger has 754 000 square meters divided over three port areas.

The areas are connected to over 6,000 meters of quay.

There are several opportunities for maritime activities, both new establishments and expansions.

Around 240 000 square meters can be developed today and an additional 255 000 square meters are regulated for future port development.

## Strengths:

Part of Europe's largest energy cluster with over 50 years history in the industry

## Additional relevant information (for example):

We can expand on existing areas as well as new areas in our port region.

## Role as Offshore Wind (OFW) Port:

- Manufacturing of OFW components
- Pre-assembly / installation
- O&M
- Decommissioning

## Contact Information:

Representative name: Eivind Hornnes

Email: [eh@stavanger.havn.no](mailto:eh@stavanger.havn.no)

Phone nr.: +4790966155

# Port overview

|                                    |                                                                                                                                                                   |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Stavanger region, Rogaland - Norway                                                                                                                               |
| Coordinates                        | Several sites                                                                                                                                                     |
| Ownership                          | Public, owned by three municipalities                                                                                                                             |
| Activities                         | Offshore base – projects – general cargo                                                                                                                          |
| Main usage                         | Part of – together with Dusavika Port – Europe's largest offshore energy cluster.                                                                                 |
| Total area (m2) incl. storage area | 255 000 for developing (754 000 total) and approx. 90 000 sqm storage and office facilities and will build for customer                                           |
| Quay berth length (m)              | Varies from 280m to 400 m                                                                                                                                         |
| Quay berth width (m)               | <a href="https://www.stavangerhavn.no/en/about/documents/diagrams-of-port-layouts/">https://www.stavangerhavn.no/en/about/documents/diagrams-of-port-layouts/</a> |
| Quay draft (m LAT)                 | From 7m to 20 m – general over 10 m                                                                                                                               |
| Quayside Bearing Capacity(t/m2)    | 5 to 10 and some on solid rock                                                                                                                                    |
| Bearing capacity                   | Mainly solid rock                                                                                                                                                 |
| Craneage capabilities              | Varies from 50t to 124t in addition to mobile cranes                                                                                                              |
| Water depth and seabed conditions  | over 10 m – no dredging required                                                                                                                                  |
| Track record in renewables         | Blade storage                                                                                                                                                     |

**Proximity to Offshore  
Wind sites**

Stavanger - Region

**Proximity of Supply  
Chain**

Northern Europes largest Energy  
cluster at the premises and  
nearby up to 10 minutes drive

**Ro/Ro Capabilities**

Yes

**Jack up Capabilities**

Yes



**WESTCON**  
HELGELAND AS

# Westcon Helgeland

## Background:

Westcon Helgeland AS was established in 1987, with key business for ship repairs. Which today has turned into a major hub for small to large ship repairs. We have produced over 50,000 ton of off-shore fabrications in the past years and, we are determined to be the key player for offshore wind projects fabrication and assembly in the coming years.



## Main features:

- Existing ISPS Port.
- Two existing dry docks, with future expansion of another drydock for offshore wind projects.
- Large fabrication halls and painting hall.
- 420 tons boatlift, 220 tons mobile lift.
- 30,000 sq/m owned area, for future expansion

### **Strengths:**

- Suitable sea-side / tide conditions and depth to sea-bed
- for casting/piling of concrete foundations.
- Large area for assembly and storage of wind projects.
- On time support from Industrial partners/suppliers, in
- different scopes like fabrication, testing, hydraulics,
- electrical, surface protection, and transportation.
- 100 plus inhouse man-power and 3rd party contracts with
- on-time/ project specific availability of man-power.

### **Additional relevant information:**

Available FWT for other suppliers for installation and commissioning of parts and software.  
Accommodations on site.

### **Role as Offshore Wind (OFW) Port:**

- Manufacturing of OFW components
- Casting of concrete base
- Pre-assembly / installation support
- Support for final assembly

### **Contact Information:**

Representative name: Arnt Skogsøy  
Email: arnt.skogsoy@westcon.no  
Phone nr.:+47 915 99 739

# Port overview

|                                    |                                                                                                                                 |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Langsetvågen Industriområde, 8700 Nesna, Norway                                                                                 |
| Coordinates                        | 66°16'24.7"N 13°10'51.8"E                                                                                                       |
| Ownership                          | 50%-50%, Skogsøy family & Westcon Yards                                                                                         |
| Activities                         | Large offshore fabrications, Aquaculture fabrications, ship repair and new built, Planned investments for offshore wind energy. |
| Main usage                         | Loading and un-loading of offshore structures, receival of raw material.                                                        |
| Total area (m2) incl. storage area | 20,000 m2                                                                                                                       |
| Quay berth length (m)              | 56 m                                                                                                                            |
| Quay berth width (m)               | 40 m                                                                                                                            |
| Quay draft (m LAT)                 | +1.5 m                                                                                                                          |
| Quayside Bearing Capacity(t/m2)    | Point load 70 t/m2 ( till 5 m from sea-side)                                                                                    |
| Bearing capacity                   | 5000 t/m2 on rest of the quay                                                                                                   |
| Craneage capabilities              | 220 ton in-house mobile crane & near by capacity facility 600 ton                                                               |
| Water depth and seabed conditions  | 60 m at the current quay, 120 m at the future Quay. Sandy sea bed conditions at both quays                                      |

|                                  |                                               |
|----------------------------------|-----------------------------------------------|
| Track record in renewables       | N/A                                           |
| Proximity to Offshore Wind sites | 54 nm to Nordvest A                           |
| Proximity of Supply Chain        | Majorly with in radius of 50 kms              |
| Ro/Ro Capabilities               | No (Capability consideration for future quay) |
| Jack up Capabilities             | Yes                                           |



# Semco Hanøytangen

## Background:

Semco Maritime took over Hanøytangen yard 2015 with main purpose of serving jack ups and semi submersible. The port has immediate water depth of +100m to the south and wet storage of 3.1km<sup>2</sup> in Hauglandsosen. The dry dock is certified for decommissioning and is green operated.



## Main features:

- ISPS port
- Areas: +160000m<sup>2</sup>
- Green Drydock
- 30 nm sailing to open sea (no overhead obstructions and +100m depth
- Protected from wind & waves
- Storage and workshops on site
- 16000m<sup>2</sup> expansion area

- Camp for +350 workforce
- Logistic/supply chain within radius of 25km
- Highly competent workforce
- Well developed supply industry
- Decommissioning capacity

**Strengths:**

Green drydock of 16000m<sup>2</sup> (125m x 129m), depth 16,2 m , with strongpoints that can take 1000 t/m<sup>2</sup>. Environmental drain system

Shore power connection

Long term partner in offshore wind with +20 years OSS and O&M

**Additional relevant information:**

Open to collaboration with other ports/operators

**Role as Offshore Wind (OFW) Port:**

- Pre-assembly / installation support
- O&M
- Decommissioning

**Contact Information:**

Representative name: Ole Angell  
Email: oang@semcomaritime.com  
Phone nr.: +4530166739

# Port overview

|                                    |                                                                                                                                      |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Askøy, Bergen region, Norwa                                                                                                          |
| Coordinates                        | N 60,44265 E 005,1                                                                                                                   |
| Ownership                          | Semco Maritime AS has long term lease from owner Hellik Teigen AS                                                                    |
| Activities                         | Large offshore yard, servicing/repair/ maintenance floaters/ jack ups, fishfarm projects, planned offshore wind Fabrication/assembly |
| Main usage                         | Repair/maintenance offshore units                                                                                                    |
| Total area (m2) incl. storage area | +160.000m2                                                                                                                           |
| Quay berth length (m)              | 230m                                                                                                                                 |
| Quay berth width (m)               | 60-100m                                                                                                                              |
| Quay draft (m LAT)                 | 17-40m                                                                                                                               |
| Quayside Bearing Capacity(t/m2)    | Point load from 8t/m2 to unlimited                                                                                                   |
| Bearing capacity                   | 100t/m2 to unlimited                                                                                                                 |
| Craneage capabilities              | 220 ton in-house mobile crane & Can mobilize up to 1350 tons                                                                         |
| Water depth and seabed conditions  | 17m to +40m<br>Seabed:Hard rock, increasing to 200m depth                                                                            |
| Track record in renewables         | OSS manufacturer, Hanøytangen: Studies for wind companies                                                                            |

|                                         |                                                       |
|-----------------------------------------|-------------------------------------------------------|
| <b>Proximity to Offshore Wind sites</b> | 120 nm to Utsira Nord, 400 nm to Søre Nordsjø II      |
| <b>Proximity of Supply Chain</b>        | Main supply chain located within 25 km radius of yard |
| <b>Ro/Ro Capabilities</b>               | Yes                                                   |
| <b>Jack up Capabilities</b>             | Yes                                                   |



WIND**d**pORT

# Windport

## Background:

Windport AS was established in 2021 and is 100% owned by Global Ocean Technology AS. Together with Port of Kristiansand, Lindesnes Municipality and local landowners, Windport is developing 3 port locations in Mandal, Norway for offshore wind. The port is partly greenfield but will be fully developed in due time for the first Norwegian offshore wind farm, Sørliche Nordsjø II. Windport's ambition is to provide port infrastructure and services according to the highest safety and sustainability standards as well as cost efficient logistics. Windport will facilitate both fixed and floating wind turbines during all phases of an offshore wind project such as planning, development, construction, assembly, installation, commissioning, operation & maintenance and decommissioning.

## Main features (when fully developed):

- Areas: ~1,5mill m2 (including hinterland)
- Quay: 1,5 km / 10-50m water depth
- Solid rock: High load capacity
- Short sailing route to open sea
- Good shelter from wind & waves
- No tidal range, no currents, no ice
- No dredging required
- ISPS, waste handling, shore power, Projects for bunkering of H2 and ammonia from 2024/25
- Efficient land logistics
- Highly competent workforce
- Well developed supply industry

## **Strengths:**

The southernmost port in Norway with proximity to offshore wind projects in entire North Sea basin. A sheltered port with short distance to open sea. Large areas, deep water quay and high load bearing capacities. There is a well-developed supply industry through decades of experience from maritime and oil and gas industries.

## **Additional relevant information:**

Very open to collaborate with other Nordic ports to establish an efficient offshore wind logistics.

## **Role as Offshore Wind (OFW) Port:**


- Manufacturing of OFW components
- Pre-assembly / installation support
- O&M
- Decommissioning

## **Contact Information:**

Representative name: Turid Storhaug

Email: [tust@gotnorway.com](mailto:tust@gotnorway.com)


Phone nr.: +47 959 47 583



# Port overview

|                                    |                                                                                                                                                              |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Mandal, Norway                                                                                                                                               |
| Coordinates                        | 58.0147, 7.48186                                                                                                                                             |
| Ownership                          | Windport is a private company. The port area is a mix of privately and publicly owned land.                                                                  |
| Activities                         | O&M base, Service hub, Marshalling, Assembly, Production, Fixed and floating turbines                                                                        |
| Main usage                         | Today: Export of rocks and timber, cargo, shipbuilding, fuel bunkering and marine activities+160.000m2                                                       |
| Total area (m2) incl. storage area | 1.500.000 m2 (Includes hinterland with various height levels)                                                                                                |
| Quay berth length (m)              | 2.000m                                                                                                                                                       |
| Quay berth width (m)               | "Unlimited"                                                                                                                                                  |
| Quay draft (m LAT)                 | 10-50m                                                                                                                                                       |
| Quayside Bearing Capacity(t/m2)    | 10-70 t/m2                                                                                                                                                   |
| Bearing capacity                   | 10-70 t/m2                                                                                                                                                   |
| Craneage capabilities              | As requested                                                                                                                                                 |
| Water depth and seabed conditions  | >50m water depth<br>Solid rock, shell sand seabed.<br>No dredging required.                                                                                  |
| Track record in renewables         | Design and construction of CTV's and electric/hybrid vessels, service technicians on land wind. Partly greenfield so limited experience with renewables yet. |

|                                         |                                                                   |
|-----------------------------------------|-------------------------------------------------------------------|
| <b>Proximity to Offshore Wind sites</b> | 189km to Sørilige Nordsjø II, Norway                              |
| <b>Proximity of Supply Chain</b>        | There is a well-established maritime supply industry in the area. |
| <b>Ro/Ro Capabilities</b>               | Yes                                                               |
| <b>Jack up Capabilities</b>             | Yes                                                               |



**PORT OF  
KRISTIANSAND**

# Port of Kristiansand

## Background:

Port of Kristiansand is strategically located with Denmark, and the European continent as one short crossing away. The center of Kristiansand is in the immediate vicinity, and the harbor is a favorite destination for shipowners, freight forwarders and cruise tourists. Kristiansand Harbor is one of the country's most important ports and occupies a central place in the national transport network. Port of Kristiansand plays a key role as a regional development actor and facilitator for business.

## Main features:

Kristiansand Havn owns and operates today: ferry terminal, container terminal, terminal for cruise ship, wet/dry bulk terminal, general cargo terminal and offshore/supply terminal (OSP).

The port has a direct connection to the main road system, with connections to Oslo (E18), Stavanger (E39) and Bergen (RV9) among others. Regulatory work is now underway for the new E39, upgrading of the ferry terminal, Lagmannsholmen and probably soon the a new extended E18 crossing our North Port, Kongsgård/ Vige. Geographically, Kristiansand Havn is the port in Norway that is closest to the European market, Great Britain, Scandinavia and the Baltics. It gives us a unique competitive advantage.

## Strengths:

ISPS

Shore Power (High and Low Voltage)

Waste handling

Low risk sailing in, and short distance to open sea

Efficient land logistics

Highly competent workforce

Well developed supply industry

Active projects: offshore wind, hydrogen, net-zero port activities, infrastructure

Sustainability and electricity

### Additional relevant information:

WindPort and SouthWind are companies we collaborate with using a combined effort and infrastructure towards offshore wind. And are open for more collaboration between nordic ports.

### Role as Offshore Wind (OFW) Port:

- Manufacturing of OFW components
- Pre-assembly / installation support
- O&M
- Decommissioning

### Contact Information:

Representative name:

Isabelle-Louise Aabel

Email: [ila@kristiansand-havn.no](mailto:ila@kristiansand-havn.no)

Phone nr.: +47 992 75 549

## Port overview

|                                    |                                                                                                                                                                |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Kristiansand, Mandal and Lindesnes                                                                                                                             |
| Coordinates                        | Kristiansand 58°7'34.7"N 8°1'10.5"E<br>Mandal 58°0'43.9"N 7°29'34.6"E<br>Lindesnes 58°2'9.6"N 7°9'22.4"E                                                       |
| Ownership                          | Public                                                                                                                                                         |
| Activities                         | Ferry, offshore, Project cargo, maintenance, container, cruise, bulk, fisheries, terminals, offshore wind, hydrogen, shore power, waste recycling and handling |
| Main usage                         | Ferry, offshore, Project cargo, maintenance, container, cruise, bulk, fisheries, terminals, offshore wind, hydrogen, shore power, waste recycling and handling |
| Total area (m2) incl. storage area | Port area Kongsgaard Western side 50 000m2. Expansion possibility                                                                                              |

|                                          |                                                                         |
|------------------------------------------|-------------------------------------------------------------------------|
| <b>Quay berth length (m)</b>             | Total 3400 m on 14 different facilities                                 |
| <b>Quay berth width (m)</b>              | Variable from 4 m to 30 m                                               |
| <b>Quay draft (m LAT)</b>                | Variable Minimum 7 to 14 m                                              |
| <b>Quayside Bearing Capacity(t/m2)</b>   | Variable . Several strongpoints for high bearing & crane operations     |
| <b>Bearing capacity</b>                  | 20t /m²                                                                 |
| <b>Craneage capabilities</b>             | 2x 100 t + 1 x 125                                                      |
| <b>Water depth and seabed conditions</b> | 13 m<br>Mud & clay                                                      |
| <b>Track record in renewables</b>        | Project cargo to landbased wind development. 4,2 mW turbines            |
| <b>Proximity to Offshore Wind sites</b>  | 189km to Sørlige Nordsjø II, Norway                                     |
| <b>Proximity of Supply Chain</b>         | Yes. Suppliers based in port area or within a 12 km range from the port |
| <b>Ro/Ro Capabilities</b>                | Yes. Proven track record                                                |
| <b>Jack up Capabilities</b>              | Yes. Proven track record                                                |



KARMSUND  
HAVN

# Karmsund Wind

## Background:

Karmsund Wind is 100% owned by Karmsund Port Authority, located on the west coast of Norway. Karmsund Port Authority manages one of Norway's largest and busiest port areas. The port works closely with the region's largest players in all maritime activities. Karmsund Port Authority has currently property and infrastructure values for over 300 million Euros and has investment plans (2023 -2033) of 250 million Euro, mainly related to Offshore Wind.

Karmsund Wind AS was established in March 2023 with the main goal to become the most important infrastructure supplier for the offshore wind industry in the North Sea basin. Karmsund Wind focuses on infrastructure and logistics within Marshalling and Mooring activities, assembly and O&M. The sites included in Karmsund Wind's plans are Haugesund Cargo Terminals Husøy, Haugesund Subsea and Offshore Base Killingøy and Haugesund Windport Haavik.

## Main features:

- Karmsund Wind is owned Karmsund Port Authority (owned by six municipalities in the region).
- Karmsund Port is one of Norway's largest ports
- Large property and infrastructure owner:
  - Today : 600.000 m2 areal and 75.000 m2 buildings and 4 km quay
  - Going forward: at least 1.5 million m2 area , xxx m2 buildings and 8+ km quay.
- Investment plans 2023 - 2033: 200 – 250 million Euro
- Logistic hub for the west coast of Norway.
- Karmsund Port is located in one of the largest Maritime, Industrial and Technology centers in Norway.

## Strengths:

The closest port to the planned offshore floating wind farm, Utsira Nord. Close proximity to other offshore wind farms in Northern Europe.

## Role as Offshore Wind (OFW) Port:


- Manufacturing of OFW components
- Pre-assembly / installation support
- Marshalling & Mooring
- Decommissioning

## Contact Information:

Representative name: Kristine Edvinson

Email: [ked@karmsund-havn.no](mailto:ked@karmsund-havn.no)

Phone nr.: +47 47668039



# Port overview

|                                    |                                                                                                                                                                            |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Haugesund region in the west coast of Norway                                                                                                                               |
| Coordinates                        | Haugesund Cargo Terminals, Husøy 59.337552, 5.312392<br>Haugesund Subsea and Offshore Base, Killingøy 59.421237, 5.248497<br>Haugesund Windport Haavik 59.306086, 5.317827 |
| Ownership                          | Karmsund Wind is owned by Karmsund Port Authority                                                                                                                          |
| Activities                         | Marshalling, mooring, assembly and O&M                                                                                                                                     |
| Main usage                         | Cargo, fishery, break bulk, offshore Base, offshore wind                                                                                                                   |
| Total area (m2) incl. storage area | Husøy up to 200.000 m2<br>Killingøy up to 14.000 m2<br>Haavik 660.000 m2                                                                                                   |
| Quay berth length (m)              | From 20 m to 200 m                                                                                                                                                         |
| Quay berth width (m)               | Up to 1675m                                                                                                                                                                |
| Quay draft (m LAT)                 | 9,5 - 30m                                                                                                                                                                  |
| Quayside Bearing Capacity(t/m2)    | From 5t/m2 to 20t/m2 (Dedicated areas for loads > 20t/m2)                                                                                                                  |
| Bearing capacity                   |                                                                                                                                                                            |
| Craneage capabilities              | As requested                                                                                                                                                               |
| Water depth and seabed conditions  | < 30m<br>Solid rock and shell sand seabed. No dredging required.                                                                                                           |

|                                         |                                                                                                                                  |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>Track record in renewables</b>       | Proven track record from onshore wind project. Excellent experience as logistic hub for different segments of renewable projects |
| <b>Proximity to Offshore Wind sites</b> | 50 km to Utsira Nord, Norway<br>250 km to Sørilige Nordsjø II, Norway                                                            |
| <b>Proximity of Supply Chain</b>        | There is a well-established maritime supply industry in the area.                                                                |
| <b>Ro/Ro Capabilities</b>               | Yes                                                                                                                              |
| <b>Jack up Capabilities</b>             | Yes                                                                                                                              |



# Port of Eigersund

## Background:

Eigersund Port, located on the south-west coast of Norway, is the nearest equipped port to the newly established Sørlige Nordsjø 2 wind farm. The Kaupanes industrial area will soon have 60 hectares of land available for new development, and is continuously growing. The area offers land both within and outside the ISPS terminal, situated by the quayside.

Eigersund Port aims to be more environmentally friendly, with the recent installation of shore power. With several large docks, the terminal has the capacity to efficiently handle SOV ships.

Eigersund Port has plenty of space with a total quay length of around 4,500 metres, depths from six to nine metres. This includes three ro-ro berths. What is unique about the harbor is that it has no tidal difference and that it is ice-free virtually all year round. It is a short sail in from the sea, the docks are located near the sea and have a sheltered anchorage. Eigersund also has good road and rail connections.

The ISPS terminal at Kaupanes, Eigersund has 4 docks with a depth of 9m and varying lengths from 44m to 150m. One dock is a roll-on/roll-off dock allowing for efficient unloading of bigger equipment.

## Main features:

- Container docks within the ISPS area.
- High accessibility for SOV ships.
- Convenient access to a quayside facilities
- International airport within 1 hour.
- Stavanger University Hospital within 1 hour.
- 10 min from train station with connections to Stavanger and Kristiansand/Oslo.
- Stavanger is reachable in 1 hour by car or train and Kristiansand in 3 hours.

Energy Innovation, based in Egersund, offers crucial training, certifications, and innovation in the wind industry, vital to running a successful offshore wind farm. .  
For more information, check <https://kaupanes.no/>

### **Role as Offshore Wind (OFW) Port:**

- O&M

### **Contact Information:**

Representative Tommy Bjellås  
Email: [post@egersund.havn.no](mailto:post@egersund.havn.no)  
Phone nr.: +47 92021602



# Port overview

|                                    |                                                                                                                                                                                 |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Eigersund, Rogaland - Norway                                                                                                                                                    |
| Coordinates                        | 58°26'25.9"N 5°58'53.3"E                                                                                                                                                        |
| Ownership                          | Public, owned by Eigersund municipality.                                                                                                                                        |
| Activities                         | Container – Projects – General cargo - Bulk                                                                                                                                     |
| Main usage                         | One of Norways largest fishing harbours                                                                                                                                         |
| Total area (m2) incl. storage area | 50.000 m2 for developing (zoning plan approved)<br>30.000 m2 ready storage (8.000 m2 ISPS area)<br>2.000 m2 warehouses (already build)                                          |
| Quay berth length (m)              | Varies from 150 – 200 meteers                                                                                                                                                   |
| Quay berth width (m)               | From 10-20 meters – General over 10 m                                                                                                                                           |
| Quay draft (m LAT)                 | 6-9 meters. General 9 m.                                                                                                                                                        |
| Quayside Bearing Capacity(t/m2)    | General 5Tonns m2                                                                                                                                                               |
| Bearing capacity                   | 5.000 t/m2                                                                                                                                                                      |
| Craneage capabilities              | Mobile cranes only                                                                                                                                                              |
| Water depth and seabed conditions  | General 12 meters<br>Mud and sand                                                                                                                                               |
| Track record in renewables         | Blade, hub, and complete windmill construction storage                                                                                                                          |
| Proximity to Offshore Wind sites   | Planned location of Flex2Power, a floating offshore wind construction, only 7 km from the harbour.Proximity to Sørlige Nordsjø 2                                                |
| Proximity of Supply Chain          | There is a well-established maritime supply industry in the area. Energy Innovation, located in Eigersund, offers training and certifications within the offshore wind industry |
| Ro/Ro Capabilities                 | Yes                                                                                                                                                                             |
| Jack up Capabilities               | Yes                                                                                                                                                                             |



# Wergeland Base

## Background:

Wergeland Base is a part of the Wergeland Group, which was founded in 1956. The Group owns and operates an extensive industrial area that includes large, zoned areas up to 2.0 million m<sup>2</sup>. approx. 1,000,000 m<sup>2</sup> at quay height.

The base has long and comprehensive experience in heavy lifting operations and projects – including long-lasting projects. It is a supply base for several clients facing “in between periods”, upgrading and maintaining oil rigs/floaters. And lastly, being the assembly site for Hywind Tampen and Marshalling yard for 35 jackets for the NnG project in Scotland – both giving the site valuable knowledge and competence within Offshore Wind.

## Main features:

- ISPS port
- Large storage and operations areas (1.6 -2m m<sup>2</sup>)
- Wet storage locations with great water depth
- Close proximity to the North Sea
- Sheltered waters
- Clear access to open sea
- Dry dock 135 x 105 x 22meters
- Supporting infrastructure established including accommodation for a large workforce
- Modern and wide range of machinery and equipment available

## **Strengths:**

Valuable Experience from successful Offshore wind projects

- Large storage and operations areas with great bearing capacity and water depths
- Experience with heavy lifting operations
- Highly competent workforce and flexible partners with regard to scaling up on short notice

## **Contact Information:**

Representatives name: Tom Erik Sandnes

Email: [tomarik@wergeland.com](mailto:tomarik@wergeland.com)

Phone nr: +47 48 09 55 55



# Port overview

|                                    |                                                                                                                                                                                                                                          |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Sløvågen 128, 5960 Dalsøyra - Norway                                                                                                                                                                                                     |
| Coordinates                        | N60.84729 E5.06906                                                                                                                                                                                                                       |
| Ownership                          | Privately Owned                                                                                                                                                                                                                          |
| Activities                         | Offshore Base, Waste treatment, Marshaling port, Offshore wind, projects, Pipeline-spool base, Main AHV base in the North Sea.                                                                                                           |
| Main usage                         | Assembly, Commissioning, and production site for Offshore Wind, Anchor handling, various Offshore projects, Waste treatment, NORM deposit, Maintenance & Repair, Pipeline-spool base activities, Emergency Oil spill preparedness (NOFO) |
| Total area (m2) incl. storage area | 1.600.000 – 2.000.000 m <sup>2</sup>                                                                                                                                                                                                     |
| Quay berth length (m)              | 1500m +                                                                                                                                                                                                                                  |
| Quay berth width (m)               | 150m + depending on quay                                                                                                                                                                                                                 |
| Quay draft (m LAT)                 | 9 – 21 meters. Supporting infrastructure to reach 150m+depth.                                                                                                                                                                            |
| Quayside Bearing Capacity(t/m2)    | 25 tons/m <sup>2</sup> +                                                                                                                                                                                                                 |
| Bearing capacity                   | 150-unlimited tons/m <sup>2</sup>                                                                                                                                                                                                        |
| Craneage capabilities              | 100-400t mobile cranes available on site. Close cooperation with crane suppliers for larger lifts.                                                                                                                                       |
| Water depth and seabed conditions  | Hard rock, proximity to 150m + depth                                                                                                                                                                                                     |
| Track record in renewables         | Assembly and commissioning site for the Hywind Tampen project - 88MW floating wind farm. Marshaling yard for 35 bottom fixed Jackets for the NnG Wind farm Project.                                                                      |

|                                         |                                                                                                                             |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Proximity to Offshore Wind sites</b> | Close proximity to identified offshore wind sites on the West coast of Norway.                                              |
| <b>Proximity of Supply Chain</b>        | Hosting several companies, the total workforce at the site is approx. 450. Upwards of 5000 Industrial workers in the region |
| <b>Ro/Ro Capabilities</b>               | Yes                                                                                                                         |
| <b>Jack up Capabilities</b>             | Yes                                                                                                                         |




# Karmsund Servicebase

## Background:

We have been operating for 50 years along the Karmsundet. Our property consists of several quays and industrial warehouses, storage halls, offices. We are placed in the middle of an industrial cluster in the area, consisting of suppliers for the maritime industry.

We are a part of the Karmsund Group, a private investment company focusing on industrial real estate and the contracting service industry. The ultimate owners are Norwegian.

## The area



## Main features

- Shore base services for ships and rigs, aquaculture industry
- Mobilisation and demobilisation services
- Contracting services and temporary labour needs
- Property services; quay facilities, rental of office, retail and industrial space, custom bonded storage, management and storage control
- Equipment rentals (barges, trailers, forklifts ++)

### **Strengths:**

- The base has several cooperating partners on site; ship repairs, steel construction, diving, transport, waste management.
- The location is close to Utsira Nord and has no restrictions with regards to seacables and heights.
- The infrastructure is already built.
- We are a flexible, private company that always serves the customer needs.
- We operate the port ourselves.

### **Additional relevant information:**

New SOV quay planned and approved. Ready 2024.

### **Role as Offshore Wind (OFW) Port:**

- O&M

### **Contact Information:**

Representative name: Marie Aanensen

Email: [maa@karmsundgroup.no](mailto:maa@karmsundgroup.no)

Phone nr.: +47 95 86 25 74

# Port overview

|                                    |                                                                                                                                                                                              |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | North-Karmøy, Torvastad                                                                                                                                                                      |
| Coordinates                        | 59°22'58"N 5°17'3"E                                                                                                                                                                          |
| Ownership                          | 100% private ownership, Small-Medium Enterprise (SME) according to EU definition.                                                                                                            |
| Activities                         | Loading and unloading of all types of goods, offshore structures, equipment for aquaculture/fishfarming industry, storage, bonded storage, ship repairs and waste handling through partners. |
| Main usage                         | Handling of goods for fishfarming industry, temporary storage, maritime industry, Oil & gas.                                                                                                 |
| Total area (m2) incl. storage area | 110.000 m²                                                                                                                                                                                   |
| Quay berth length (m)              | 320m                                                                                                                                                                                         |
| Quay berth width (m)               |                                                                                                                                                                                              |
| Quay draft (m LAT)                 | 6-12m                                                                                                                                                                                        |
| Quayside Bearing Capacity(t/m2)    | 5-15 tons/m2                                                                                                                                                                                 |
| Bearing capacity                   | 5-15 tons/m2                                                                                                                                                                                 |
| Craneage capabilities              | As requested                                                                                                                                                                                 |
| Water depth and seabed conditions  | 6-20 m, Sandy/sedimentary seabed. No need for dredging.                                                                                                                                      |
| Track record in renewables         | Mob and demob of SOVs                                                                                                                                                                        |

|                                         |                                                                                   |
|-----------------------------------------|-----------------------------------------------------------------------------------|
| <b>Proximity to Offshore Wind sites</b> | Yes, 16 nautical miles to Utsira Nord                                             |
| <b>Proximity of Supply Chain</b>        | O & M base, anchor handling, general handling and storage of goods inside/outside |
| <b>Ro/Ro Capabilities</b>               | No                                                                                |
| <b>Jack up Capabilities</b>             | No                                                                                |



# ASCO Norge - Farsund

## Background:

ASCO Base Farsund is a high experienced, modern terminal and a supply base with excellent facilities and interface. Strategically positioned and ideally located to serve as an operational hub to support and supply future OFW projects in the North Sea. ASCO Farsund represents as the no 1 supply base operator between Stavanger and Kristiansand.

Port of Farsund offers extended facilities to support berthing of larger vessels as bargers, crane or jack-up vessels.



## Main features

- Ideal location to support OFW projects in Southern North Sea
- Large storage and lay down areas, indoor and outdoor
- Direct access to deep-water quay
- Sheltered waters
- Access to 3 overhead cranes, lifting capacity up to 25 t
- Access to significant gravelled outdoor areas

- Access to workshop for maintenance work
- Storage of RAM cylinders in a special-designed towerframe
- Office and workforce accommodation available
- Port of Farsund is part of Lister intermunicipal port authority

### **Strengths:**

ASCO Farsund has an unrivalled competence and experience within warehouse management and project logistics.

Large areas for pre- assembly and storage of wind projects in the region. The southernmost port in Norway with proximity to offshore wind projects in the entire North Sea Basin.

Sheltered waters. Fjords suitable for wet storage.

### **Additional relevant information:**

When finalized Kjeldsvika industrial site will add 300 000 m<sup>2</sup> lay down area to existing port capacity in Farsund, prepared to support future OFW Operations.

<https://ascoworld.com/locations/farsund>

### **Role as Offshore Wind (OFW) Port:**

- Operational and Maintenance servicebase
- Logistics centre for Windfarm Operations and suppliers
- Storage, Marshalling and offshore installation campaign support

### **Contact Information:**

Representative name: Eivind Reisvaag Sunde

Email: [ers@ascoworld.com](mailto:ers@ascoworld.com)

Phone nr.: +47 4888 3302

# Port overview

|                                    |                                                                                                                                                                       |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Vollmonaveien 32 , Lundevågen, 4553 Farsund                                                                                                                           |
| Coordinates                        | Entr into port: N58.01` E 006 50`                                                                                                                                     |
| Ownership                          | ASCO Holdings Ltd                                                                                                                                                     |
| Activities                         | Supply base, logistics, warehouse, project cargo, transport, terminal handling, material management, Water, LNG and power supply                                      |
| Main usage                         | Providing total logistics services to all industries. Extended Warehouse and storage facilities                                                                       |
| Total area (m2) incl. storage area | Internal storage area: 19,200 m <sup>2</sup><br>External storage – levelled area: 30,000 m <sup>2</sup><br>Additional outdoor area: 100.000 m <sup>2</sup> on request |
| Quay berth length (m)              | Sevaral berths, from 130 meter                                                                                                                                        |
| Quay berth width (m)               | 20-30m                                                                                                                                                                |
| Quay draft (m LAT)                 | 6,5-16,5m                                                                                                                                                             |
| Quayside Bearing Capacity(t/m2)    | 5-50t/m <sup>2</sup>                                                                                                                                                  |
| Bearing capacity                   | Solid rock                                                                                                                                                            |
| Craneage capabilities              | Up to 20 tons lift, reach 20 m. Heavy lift on request, Reach stacker up to 45 ton. 160-ton mobile crane available. Headover crane ASCO North                          |

|                                          |                                                                                                                                                                                                              |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Water depth and seabed conditions</b> | Over 10 m – Mainly solid rock. No dredging required                                                                                                                                                          |
| <b>Track record in renewables</b>        | Supporting OFW projects in UK as; Moray East, Hywind, Aberdeen Bay, Kinkardine, Dogger bank. ASCO Norge supports Fred Olsen Renewables (onshore). Logistics partner in several Hydrogen development projects |
| <b>Proximity to Offshore Wind sites</b>  | Approximately 100 NM sailing distance from SN II, and Utsira Nord. Close distance to future OFW projects in North Sea basin.                                                                                 |
| <b>Proximity of Supply Chain</b>         | Local supply chain in immediate proximity to yard.                                                                                                                                                           |
| <b>Ro/Ro Capabilities</b>                | Yes, 350t load capacity                                                                                                                                                                                      |
| <b>Jack up Capabilities</b>              | Yes. On Request                                                                                                                                                                                              |



# ASCO Norge - Tananger

## Background:

ASCO Base Tananger provides a One-Stop-Shop facility for major IOC and contractor clients. The base started its first operation in Feb-1995 and offers a complete suite of ASCO's service capabilities including substantial warehousing, waste, water supply, power supply and MGO services.

ASCO Tananger holds long experience and large supply base activities for the energy market.



## Main features

- Port with ideal location and well-developed infrastructure, and with short sailing distance to the North Sea.
- Availability of all required plant and skilled personnel
- Receipt and dispatch warehousing
- Inside/outside storage
- Fuel storage and distribution
- MGO plant - parallel supply over multiple quays
- Modern bulk plant supply from all major drilling fluid suppliers

- Drill-cuttings treatment and slop facilities
- Shore power supply
- LNG supply
- Water supply
- Vessel and quayside coordination
- Quayside operations including lifting and mooring operations

### **Strengths:**

Capacity to operate 5 quayside operations simultaneously, and planning an expansion to include two additional quays.

Availability of all required plant, equipment and skilled personnel.

Emergency base for Oilspill Response. Integrated Freight forwarding and customs clearance services.

<https://ascoworld.com/locations/tananger>

### **Role as Offshore Wind (OFW) Port:**

- Operational and Maintenance servicebase
- Logistics centre for Windfarm Operations and suppliers
- Storage, Marshalling and offshore installation campaign support

### **Contact Information:**

Representative name: Eivind Reisvaag Sunde

Email: [ers@ascoworld.com](mailto:ers@ascoworld.com)

Phone nr.: +47 4888 3302

# Port overview

|                                           |                                                                                                                                                                                                             |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Location</b>                           | Risavika Havnering 235 and 285, 4098 Tananger                                                                                                                                                               |
| <b>Coordinates</b>                        | Entry into port: N 58,930 E 5,573<br>Point of pilot boarding: N 58,850 E 5,500                                                                                                                              |
| <b>Ownership</b>                          | ASCO Holdings Ltd                                                                                                                                                                                           |
| <b>Activities</b>                         | Total Supply base services: Warehouse, project cargo loading/unloading vessels, material management, MGO supply, bulk deliveries, Water, LNG and power supply, Logistics, Freight (air/sea/land). Aviation. |
| <b>Main usage</b>                         | Providing total logistics services to all industries. MGO supply, Freight forwarding and customs clearance, Warehouse and storage facilities                                                                |
| <b>Total area (m2) incl. storage area</b> | 100.000 m <sup>2</sup> base area, 17,400 m <sup>2</sup> internal storage                                                                                                                                    |
| <b>Quay berth length (m)</b>              | Total of 450 m + 150 m new quay under development.                                                                                                                                                          |
| <b>Quay berth width (m)</b>               |                                                                                                                                                                                                             |
| <b>Quay draft (m LAT)</b>                 | 11 – 13 m draft                                                                                                                                                                                             |
| <b>Quayside Bearing Capacity(t/m2)</b>    | 70-100 tonnes/m <sup>2</sup> load bearing capacity                                                                                                                                                          |
| <b>Bearing capacity</b>                   | Solid rock                                                                                                                                                                                                  |
| <b>Craneage capabilities</b>              | Craneage capabilities 3 harbour cranes, lift up to 84 tonnes                                                                                                                                                |
| <b>Water depth and seabed conditions</b>  | over 10 m – Mainly solid rock. No dredging required                                                                                                                                                         |

|                                         |                                                                                                                                                                                                              |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Track record in renewables</b>       | Servicing OFW projects in UK as; Moray East, Hywind, Aberdeen Bay, Kinkardine, Dogger bank. ASCO Norge supports Fred Olsen Renewables (onshore). Logistics partner in several Hydrogen development projects. |
| <b>Proximity to Offshore Wind sites</b> | Close to both Utsira Nord and SNII projects.                                                                                                                                                                 |
| <b>Proximity of Supply Chain</b>        | Northern Europes largest Energy cluster at the premises and nearby up to 10 minutes drive                                                                                                                    |
| <b>Ro/Ro Capabilities</b>               | Yes                                                                                                                                                                                                          |
| <b>Jack up Capabilities</b>             | Yes                                                                                                                                                                                                          |



# ASCO Norge - Kristiansund

## Background:

ASCO in Kristiansund has been a strategic and important part of ASCO Norge AS since 2009.

Located at Averøy, the base successfully provides comprehensive and full-service logistics solutions and supply base services, tailored to each individual customer's need. Our supply base at Averøy is incredibly well located on a plot specifically developed for industrial purposes. The location of the supply base ensures easy access by both land and sea and lies sheltered from strong winds. We are placed 20 minutes from Kvernberget airport and 15 minutes from Kristiansund city center

## Main features

- Fully equipped for all sorts of operation
- Inventory Management
- Storage inside/outside
- Bunker and lubricant deliveries to vessels
- Vessel quayside coordination
- Quayside operations incl. lifting and mooring operations
- Wastehandling services
- Drill-cuttings treatment and slop facilities
- Bunker and lubricant deliveries
- Water supplies
- Harbour mobile crane & Forklifts up to 45 tons
- Secured in accordance with ISPS and NOG-091

### **Strengths:**

Sheltered waters. Fjords suitable for wet storage.  
Short sailing to Nordvest C Floating Wind Farm - Development Zone.

Highly experienced workforce with proven track record  
experience from supporting oil and gas and marine industry.

<https://ascoworld.com/locations/kristiansund>

### **Role as Offshore Wind (OFW) Port:**

- Operational and Maintenance servicebase
- Logistics centre for Windfarm Operations and suppliers
- Storage, Marshalling and offshore installation campaign support

### **Contact Information:**

Representative name: Eivind Reisvaag Sunde

Email: [ers@ascoworld.com](mailto:ers@ascoworld.com)

Phone nr.: +47 4888 3302

# Port overview

|                                    |                                                                                                                                                                                                             |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Baseveien 105, 6531 Averøy                                                                                                                                                                                  |
| Coordinates                        | Lat 630622N, Long 0074687E                                                                                                                                                                                  |
| Ownership                          | ASCO Norge AS (50%)<br>Kristiansund Base Holding AS (50%)                                                                                                                                                   |
| Activities                         | Total supply base service, terminal handling, warehouse, material management, logistics and Freight Forwarding                                                                                              |
| Main usage                         | Logistics and base services for on- and offshore operators, containerport and port terminal                                                                                                                 |
| Total area (m2) incl. storage area | 64,000 m <sup>2</sup> base area                                                                                                                                                                             |
| Quay berth length (m)              | 70 m                                                                                                                                                                                                        |
| Quay berth width (m)               | 22 m                                                                                                                                                                                                        |
| Quay draft (m LAT)                 | 8,8 m                                                                                                                                                                                                       |
| Quayside Bearing Capacity(t/m2)    | 10/100 t/m <sup>2</sup>                                                                                                                                                                                     |
| Bearing capacity                   | Solid rock                                                                                                                                                                                                  |
| Craneage capabilities              | Lift up to 45 tons. Heavy-lift on request                                                                                                                                                                   |
| Water depth and seabed conditions  | 100-250 meter, mainly solid rock                                                                                                                                                                            |
| Track record in renewables         | Servicing OFW projects in UK as; Moray East, Hywind, Aberdeen Bay, Kinkardine, Dogger bank. ASCO Norge supports Fred Olsen Renewables (onshore). Logistics partner in several Hydrogen development projects |

|                                         |                                                                                                                                                                                                      |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Proximity to Offshore Wind sites</b> | 25 nm to planned Nordvest C Floating Wind Farm 84 nm to planned Nordvest B Floating Wind Farm 48 km drive to Fræna transmisjonsnettstasjon - suggested as landing facility for both Nordvest B and C |
| <b>Proximity of Supply Chain</b>        | Local supply chain in immediate proximity to yard.20 km to Kristiansund – region offshore supply center                                                                                              |
| <b>Ro/Ro Capabilities</b>               | Yes. On Request                                                                                                                                                                                      |
| <b>Jack up Capabilities</b>             | Yes. On Request                                                                                                                                                                                      |



# ASCO Norge - Sandnessjøen

## Background:

ASCO Base Sandnessjøen was established in 2008 and have excellent experience in supporting O&G operations. ASCO team Sandnessjøen take their pride in being flexible, service minded with high focus on quality and unlimited support to our clients.

## Main features

- Full non-stop-shop capabilities
- Fully equipped for all sorts of operations
- External storage in direct conjunction with the 3 public quays
- Operators- / stevedore agreement with the Harbour Authorities for operating on quaysides
- Receipt & Dispatch storage area
- Packing area for containers, constructed with special roof for weather protection
- Top modern indoor storage areas
- Storage of chemicals
- Storage of OCTG
- Bulk products + MGO
- Water supply
- Heavy duty berth
- Secured in accordance with ISPS and NOG
- Opening 24/7
- Duty-phone 24/7
- Security agreement for NOG-091

### **Strengths:**

Full one-stop-shop capabilities, external storage in direct conjunction with 3 public quays in addition to quays are heavy duty. Well developed supply chain , locally available.

<https://ascoworld.com/locations/sandnessjoen>

### **Role as Offshore Wind (OFW) Port:**

- O&M
- Manufacturing of OFW components
- Pre-assembly / integration

### **Contact Information:**

Representative name: Eivind Reisvaag Sunde

Email: [ers@ascoworld.com](mailto:ers@ascoworld.com)

Phone nr.: +47 4888 3302



# Port overview

|                                    |                                                                                                                                                                                                              |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Horvnes, 8803 Sandnessjøen                                                                                                                                                                                   |
| Coordinates                        | 66°1'30.1"N 12°40'3.8"E                                                                                                                                                                                      |
| Ownership                          | ASCO Holdings Ltd                                                                                                                                                                                            |
| Activities                         | Terminal handling, supply base, warehouse, material management, logistics and Freight Forwarding                                                                                                             |
| Main usage                         | Providing total logistics services to all industries. MGO supply, Freight forwarding and customs clearance, Warehouse and storage facilities.                                                                |
| Total area (m2) incl. storage area | 40.000 m <sup>2</sup> external storage<br>- 5.000 m <sup>2</sup> internal storage<br>- 700 m <sup>2</sup> office facilities<br>- 25,000 m <sup>2</sup> marshalling area                                      |
| Quay berth length (m)              | 3x80 m                                                                                                                                                                                                       |
| Quay berth width (m)               | 11,5 - 15                                                                                                                                                                                                    |
| Quay draft (m LAT)                 | 10-20 m                                                                                                                                                                                                      |
| Quayside Bearing Capacity(t/m2)    | 50-70 t/m <sup>2</sup>                                                                                                                                                                                       |
| Bearing capacity                   | Solid rock                                                                                                                                                                                                   |
| Craneage capabilities              | Two cranes. Lift up to 70 tons                                                                                                                                                                               |
| Water depth and seabed conditions  | 12-20m. Mainly solid rock                                                                                                                                                                                    |
| Track record in renewables         | Servicing OFW projects in UK as; Moray East, Hywind, Aberdeen Bay, Kinkardine, Dogger bank. ASCO Norge supports Fred Olsen Renewables (onshore). Logistics partner in several Hydrogen development projects. |

|                                  |                                           |
|----------------------------------|-------------------------------------------|
| Proximity to Offshore Wind sites | Træna Vest                                |
| Proximity of Supply Chain        | Local supply chain in immediate proximity |
| Ro/Ro Capabilities               | No                                        |
| Jack up Capabilities             | No                                        |



# ASCO Norge - Hammerfest

## Background:

ASCO Base Hammerfest is located in Leirvika and is a supply base, designed to operate as a multipurpose area for Port- and Terminal activities.

The base is fully equipped and able to handle up to 3 vessels simultaneously. The unique localization with a proximity to all quays facilities benefits for an optimal logistics for our clients. Our team in Hammerfest supports our clients by managing and coordinating the transport and delivery of all materials to this Northern Location

## Main features

- Fully equipped for all sorts of operations
- 
- Handling of 3 vessels simultaneously
- Warehouses up to 3,000 m<sup>2</sup>
- External storage area 50,000 m<sup>2</sup>
- 2 quays / 80 & 60 m/ 12-16 m depth
- Shore power, 3 points
- Bulk facilities for drilling fluid
- Water deliveries
- Waste handling
- LNG deliveries from truck
- Fully digitalized supply base, live-tracking of materials
- Secured in accordance with ISPS and NOG-091
- Operation 24/7
- Duty phone 24/7

## **Strengths:**

Top modern warehouse facilities in close proximity to quayside.  
Large laydown areas developed and well suited to support Well developed supply chain , locally available.

<https://ascoworld.com/locations/hammerfest>

## **Role as Offshore Wind (OFW) Port:**

- Logistics centre for Windfarm  
Operations and suppliers
- Pre-assembly / integration
- Operational and Maintenance servicebase

## **Contact Information:**

Representative name: Eivind Reisvaag Sunde

Email: [ers@ascoworld.com](mailto:ers@ascoworld.com)

Phone nr.: +47 4888 3302



# Port overview

|                                    |                                                                                                                                                                                                              |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Petroleumsveien 19, 9611 Rypefjord                                                                                                                                                                           |
| Coordinates                        | 70° 39' 48.1" N, 23° 40' E                                                                                                                                                                                   |
| Ownership                          | ASCO Holdings Ltd                                                                                                                                                                                            |
| Activities                         | Supply base, terminal handling, warehouse, logistics and Freight Forwarding                                                                                                                                  |
| Main usage                         | Providing total logistics services to all industries. MGO supply, Freight forwarding and customs clearance, Warehouse and storage facilities                                                                 |
| Total area (m2) incl. storage area | 50,000 m2Warehouses up to 3,000 m²                                                                                                                                                                           |
| Quay berth length (m)              | 60 + 80 m                                                                                                                                                                                                    |
| Quay berth width (m)               |                                                                                                                                                                                                              |
| Quay draft (m LAT)                 | 12 – 16 m                                                                                                                                                                                                    |
| Quayside Bearing Capacity(t/m2)    | 50-70 t / m²                                                                                                                                                                                                 |
| Bearing capacity                   | Solid rock                                                                                                                                                                                                   |
| Craneage capabilities              | 65 t                                                                                                                                                                                                         |
| Water depth and seabed conditions  | 30 m+                                                                                                                                                                                                        |
| Track record in renewables         | Servicing OFW projects in UK as; Moray East, Hywind, Aberdeen Bay, Kinkardine, Dogger bank. ASCO Norge supports Fred Olsen Renewables (onshore). Logistics partner in several Hydrogen development projects. |
| Proximity to Offshore Wind sites   | Nordavind, Barents Sea                                                                                                                                                                                       |

|                                  |                                           |
|----------------------------------|-------------------------------------------|
| <b>Proximity of Supply Chain</b> | Local supply chain in immediate proximity |
| <b>Ro/Ro Capabilities</b>        | Yes. On Request                           |
| <b>Jack up Capabilities</b>      | Yes. On Request                           |



# Hausvik Energy Yard

## Background:

Hausvik Energy Yard AS is a Joint Venture company owned by 5 large industrial companies in the South of Norway. This consortium represents a highly experienced workforce of 900 employees with an annual turnover of 2.7 billion NOK.

## Main features

Hausvik Energy Yard is a levelled, ready-to-use 300,000 m<sup>2</sup> industrial area strategically situated with direct access to open waters and in close vicinity to other local ports as Farsund and Mandal, making it an optimal location for supporting the international offshore wind industry.

Offering the shortest sailing route to the North Sea Basin and Europe, along with extensive laydown areas, deep-water quays, and sheltered fjords devoid of tides, Hausvik is your number one choice to support any OFW operations, including O&M, component manufacturing, pre-assembly, installations or decommissioning.

## Strengths:

Large industrial plot. 300 00 m<sup>2</sup> levelled area on solid rock foundation, ready for use by 2024/2025.

Deepwater quays, sheltered waters. Fjords suitable for wet storage.

New quays and infrastructure under development.  
Highly experienced workforce and supply industry, with proven track record experience from supporting OFW projects.

**Additional relevant information:**

Open to collaborate with other Nordic ports or EPCI contractors to provide industrialized concepts, support and development to the international offshore wind industry. Fixed and floating. Steel and concrete.

Web: <http://hausvikenergyyard.no/>

**Role as Offshore Wind (OFW) Port:**

- Manufacturing of OFW components
- Pre-assembly / installation
- O&M
- Decommissioning

**Contact Information:**

Representative name: Arne Marthinsen

Email: [arne.marthinsen@ogrey.no](mailto:arne.marthinsen@ogrey.no)

Phone nr.: +47 9004 6025



# Port overview

|                                       |                                                                                                                                                                                |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                              | Hausvik, Lyngdal municipality                                                                                                                                                  |
| Coordinates                           | N 58.049 E 6.987<br>Point of pilot boarding: N 58.020<br>E 6.935                                                                                                               |
| Ownership                             | Hausvik Energy Yard AS                                                                                                                                                         |
| Activities                            | Planned offshore wind fabrication/<br>assembly, maintenance, supply base<br>service & logistical support                                                                       |
| Main usage                            | Historically Hausvik Yard has been used<br>as project area for fish farm projects,<br>offshore O&G, service and decommis-<br>sioning. Gravel quarry (license ends in<br>2024). |
| Total area (m2) incl.<br>storage area | 300.000 m <sup>2</sup> levelled area ready to use +<br>100 000 m <sup>2</sup> as future optional, pending<br>on regulatory approval.                                           |
| Quay berth length (m)                 | 50-500 meter* pending on future<br>development                                                                                                                                 |
| Quay berth width (m)                  | "Unlimited"                                                                                                                                                                    |
| Quay draft (m LAT)                    | 10-50 m                                                                                                                                                                        |
| Quayside Bearing<br>Capacity(t/m2)    | 10-70 t/m <sup>2</sup>                                                                                                                                                         |
| Bearing capacity                      | 70 – 100 tonnes / m2 load bearing<br>capacity.                                                                                                                                 |
| Craneage capabilities                 | As requested.                                                                                                                                                                  |
| Water depth and<br>seabed conditions  | 70-150 meter, mainly solid rock.                                                                                                                                               |

|                                         |                                                                                                                                                                               |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Track record in renewables</b>       | Industrial consortia of 5 local companies with extensive experience and competence from mechanical/ electromechanical, maritime, construction, energy and renewable industry. |
| <b>Proximity to Offshore Wind sites</b> | Approximately 100 NM from Sørilige Nordsjø II, and in close tow range to Utsira Nord + future projects in North Sea basin.                                                    |
| <b>Proximity of Supply Chain</b>        | Main supply chain located within 25 km radius of yard.                                                                                                                        |
| <b>Ro/Ro Capabilities</b>               | No (Capability consideration for future quay)                                                                                                                                 |
| <b>Jack up Capabilities</b>             | Yes                                                                                                                                                                           |



windafjord  
PORT

# Windafjord Port (Dommersnes AS)

## Background:

Windafjord Port (Dommersnes AS) is jointly owned by Vindafjord Kommune (the local municipality) and Westcon Yards and was established in 2023 with its main focus on developing Dommersnes Industrial Area to a fabrication, assembly and outfitting site for Offshore Wind, primarily for Floating foundations.

## Main features

1. Large Area up to 530 000 m<sup>2</sup> (53 Hectars)
2. Proven track record Ekofisk breakwater and Hywind Tampen
3. Bedrock very large load capacity
4. Deep waters 10-30m at quays, to +100m
5. Short distance to Utsira North (44 nautical miles) & North Sea/ UK

## Strengths:

1. Planning permit is in place (reguleringsplan)
2. Sheltered waters w/ little waves or wind
3. Wet storage ample areas in nearby waters: +10 mill m<sup>2</sup>
4. Skilled workforce available in Vindafjord and greater area
5. Private company freedom to operate commercially

### **Additional relevant information:**

Current development plans are:

- Phase 1: + current: 70-80 000 m<sup>2</sup> ready 2024 at +3m
- Phase 2: +60-80 000 m<sup>2</sup> ready 2025 at +3m, optionally w/560m quay, 10-30m
- Phase 3: Total 530 000 m<sup>2</sup> 2027/8

### **Role as Offshore Wind (OFW) Port:**

- Fabrication, assembly and outfitting site
- Concrete or steel foundations
- Logistics services
- Facilitation of main and support services

### **Contact Information:**

Managing Director: Jørgen Jorde

Email: [jorgen@windafjord.com](mailto:jorgen@windafjord.com)

Phone nr.:+47 412 96 639



## Port overview

|                                    |                                                                                                                                                                                   |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Dommersnes Industriområde, Vikebygd, Norway                                                                                                                                       |
| Coordinates                        | 59°34'38.4"N, 5°33'48.2"E                                                                                                                                                         |
| Ownership                          | Private company, owned by Vindafjord municipality & Westcon Yards                                                                                                                 |
| Activities                         | Large offshore concrete structures, Aquaculture projects, O&G decom project, HyWind Tampen slipforming. Planned expansions for offshore wind fabrication, assembly and outfitting |
| Main usage                         | Industrial projects                                                                                                                                                               |
| Total area (m2) incl. storage area | 530.000 m <sup>2</sup>                                                                                                                                                            |
| Quay berth length (m)              | 61m                                                                                                                                                                               |
| Quay berth width (m)               | 27m                                                                                                                                                                               |
| Quay draft (m LAT)                 | +12m                                                                                                                                                                              |
| Quayside Bearing Capacity(t/m2)    | 7 t/m <sup>2</sup> (upgrades are part of the current development plan)                                                                                                            |
| Bearing capacity                   | +100t/m <sup>2</sup> on rest of the area (rock)                                                                                                                                   |
| Craneage capabilities              | On mobilization basis                                                                                                                                                             |
| Water depth and seabed conditions  | 12-20 m at the current quay, 120 m at barge distance. Rock sea bed conditions at both quays                                                                                       |
| Track record in renewables         | HyWind Tampen slip-forming                                                                                                                                                        |
| Proximity to Offshore Wind sites   | 44 nm to Utsira Nord, no air-draught limitations, +120m tow lane depth<br>Major industrial capacity within radius                                                                 |

**Proximity of Supply Chain**

Major industrial capacity within radius of 30 kms

**Ro/Ro Capabilities**

Yes

**Jack up Capabilities**

No (Considered for development)

---



 **FJORD BASE GRUPPEN**

# Fjord Base

## Background:

The Fjord Base Group has been involved in generating business activity in the local community since 1985. Fjord Base, Norway's largest and westernmost supply base, and is an important hub for industrial activities in the region.

Providing critical infrastructure and logistic services to major multi-national companies with on and off-shore operations in the region and has more recently expanded its services to on and off-shore renewable energy operators, making it a key player in the energy transition in Norway.

## Main features

- 35 years experience with logistics and operation
- Outstanding HSSEQ Culture
- Positioned for the green shift (Energy Center Florø)

## Strengths:

**Comprehensive ambitions within Offshore Wind:** strong and committed ownership for becoming a major supplier within offshore wind, including assembly and marshalling of FOWTs.

**Versatile facilities for different Floater technologies:**

deep quaysides and routes to access the open ocean with a minimum depth of 80 meters for the duration of the tow.

**Ideal Location and Port Facilities:** our sheltered and deep-sea port offers calm sea conditions, enabling high assembly uptime.

**Abundant Project Area and potential** of 1 600,000 square meters available for future expansion.

**Industrial Cluster Advantage:** this vibrant industrial cluster ensures a comprehensive range of services and expertise at your disposal.

### **Additional relevant information:**

Services for O&M, Assembly and Marshalling for Electrification projects is available today. Further, 1st stage of development will serve a 500 MW project, and 2nd stage about 1 GW after future expansion. Ensuring cost efficient production facilities by large scale industrialization of Offshore Wind

### **Role as Offshore Wind (OFW) Port:**

- Manufacturing of OFW components
- Pre-assembly / installation
- O&M
- Decommissioning

### **Contact Information:**

Representative name: Ole Schanke Eikum

Email: [ole.schanke.eikum@fjordbase.no](mailto:ole.schanke.eikum@fjordbase.no)

Phone nr.: +47 95 04 80 93



# Port overview

|                                    |                                                                                                                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | In the city of Florø, the westernmost city of Norway                                                                                                                                                  |
| Coordinates                        | 61° 35' 58.45" N & 5° 01' 58.08" E                                                                                                                                                                    |
| Ownership                          | Ancala Partners (75%) and Semi AS (25%)                                                                                                                                                               |
| Activities                         | Important hub for industrial activities in the region, with short-distance to cooperations and skilled networks                                                                                       |
| Main usage                         | Offshore Supply, OCTG, Maritime, Subsea, Projects, Green Ventures and Land-based Fish Farming.                                                                                                        |
| Total area (m2) incl. storage area | 1.060.000 m <sup>2</sup> (+ 1.600.000 m <sup>2</sup> expansion possibilities)                                                                                                                         |
| Quay berth length (m)              | 850 m, total lenght of 9 quays                                                                                                                                                                        |
| Quay berth width (m)               | More than 50 m                                                                                                                                                                                        |
| Quay draft (m LAT)                 | 7,7 - 17 m                                                                                                                                                                                            |
| Quayside Bearing Capacity(t/m2)    | 10 t/m2 (120t/m2 point load for existing quay sides)                                                                                                                                                  |
| Bearing capacity                   | Large, the whole industrial area is on solid rock                                                                                                                                                     |
| Craneage capabilities              | Extensive machine park including, 5 large mobile cranes (84t), reach stacker (45t), 29 forklifts (16t)                                                                                                |
| Water depth and seabed conditions  | 80 meters and possible solutions for deep quayside requirements.                                                                                                                                      |
| Track record in renewables         | Storage and logistic support for the installation and maintenance of Guleslettene Wind Farm and Hennoy Wind Farm. Deeply involved in development of H2 production facility and NH3 bunkering terminal |

|                                         |                                                                                                                                                                                                                           |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Proximity to Offshore Wind sites</b> | Vestavind B (103 km), Trollvind (128 km), Hywind Tampen (158 km), INTOG NE-b (210 km), Utsira Nord (272 km), Nordvest C (285 km), Shetland Offshore Wind (306 km), INTOG NE-c (318 km), Arven Offshore Wind Farm (321 km) |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

|                                  |                                                |
|----------------------------------|------------------------------------------------|
| <b>Proximity of Supply Chain</b> | Hosting 65 companies with 650 skilled workers. |
|----------------------------------|------------------------------------------------|

|                           |     |
|---------------------------|-----|
| <b>Ro/Ro Capabilities</b> | Yes |
|---------------------------|-----|

|                             |     |
|-----------------------------|-----|
| <b>Jack up Capabilities</b> | Yes |
|-----------------------------|-----|

---



# Port of Utsira

## Background:

Utsira port was established in 1865-70 when the herring came, and was Norway's first state port. The municipality went from agriculture to fishing, and had two fishing ports with freezers that created jobs and growth. Now Utsira will transition to offshore wind, and be a pilot and host municipality for Utsira Nord, a large offshore wind project 7 km from the island. Utsira Nord will cover 1986 km<sup>2</sup>, and be visible from the living room of the residents. The goal is to ensure good operation and maintenance models from Utsira, which are time-, cost- and climate-efficient. Utsira will be a pioneer municipality for sustainable development of offshore wind in Norway.

## Main features

- Areas: Two harbor's, one in the south and one in the north, which make the ports extremely weather flexible.
- Quay: Quay established for fishery with water depth of 4-8 meters, adapted for CTW and anchor handlers. Under mapping and development.
- Short distance to Utsira warehouse/storage, drone center, accommodation (7 km).
- No tidal range, no currents, no ice.
- Waste handling, shore power looking into electrician, H2.
- Highly competent workforce well developed supply and logistics.

## Strengths:

Geographical advantages – 7 km. High marine competence – and decade experience with fishery operation and logistics

## Additional relevant information:

Planning investments to ensure competitive ports, transition from fishing to offshore wind. Open for collaboration with other Nordic Ports

### **Role as Offshore Wind (OFW) Port:**

- O&M
- Drone base - inspection, surveillance
- Warehouse/ Storage, office,
- Emergency (critical equipment, environment spill, medical)

### **Contact Information:**

Representative name: :

Erik Berg/ Håvard Nordvik

Email: [post@utsira.kommune.no](mailto:post@utsira.kommune.no)

Phone nr.: 408 46 245 /950 62 203



# Port overview

|                                    |                                                                                                                                |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Utsira, Norway                                                                                                                 |
| Coordinates                        | Norevågen: 59.312194, 4.885215<br>Sørevågen: 59.297867, 4.893118                                                               |
| Ownership                          | Utsira port is corporation between municipality, private and public owned land.                                                |
| Activities                         | O&M base, service hub, warehouse/ storage, Drone service, Emergency response. Ferry MS Utsira transport personal, cars, cargo. |
| Main usage                         | Infrastructure of goods, personnel logistics, fishery, offshore wind industry                                                  |
| Total area (m2) incl. storage area | 100 000 sqm (60% north & 40% south)                                                                                            |
| Quay berth length (m)              | Approx. 700 m (400 m north & 300 m south)                                                                                      |
| Quay berth width (m)               | Varies from 3m – 15 m                                                                                                          |
| Quay draft (m LAT)                 | Varies from 2 m – 6 m                                                                                                          |
| Quayside Bearing Capacity(t/m2)    | 6t/m <sup>2</sup>                                                                                                              |
| Bearing capacity                   | Varies depending on soil/ground conditions and type of quay.                                                                   |
| Craneage capabilities              | As required / planning for wind industry                                                                                       |
| Water depth and seabed conditions  | Water dept between 4 – 10 m. Solid rock, dredging to be executed if needed                                                     |
| Track record in renewables         | Worlds first wind hydrogen plant 2004. Goal green and smart municipality                                                       |
| Proximity to Offshore Wind sites   | 7- 10 km to Utsira Nord floating wind farm                                                                                     |

**Proximity of Supply Chain**

Karmsund havn – 25 km, Westcon base, Aibel, Aker Stord.  
North: Wergeland base - South: Rosenberg, Norsesea basene, Windport Mandal

**Ro/Ro Capabilities**

Small scale

**Jack up Capabilities**

No

---



# NorSea Tananger, Norway

## Background:

Norsea's supply and mobilisation base in Tananger (Sola) ("Tananger base") was established in 1960'es as Norway's first generation oil bases. The base has together with Dusavik been a cornerstone in the Stavanger regional offshore oil&gas service cluster. Companies established at or mobilising goods and equipment from our base in Tananger, provide an efficient full range services to the oil&gas field operations on the Norwegian Continental Shelf.

Tananger is a complete maritime and oil&gas service centre through the local access to over 60 service companies with special expertise in drilling, fabrication, workshop activities, subsea and equipment for heavy mooring work.

## Main features

Tananger base is well established with all required social, operational and support services either at site or available in Stavanger Region. Offshore wind operators can both tap into the established resource pool and services base of the Oil&gascluster, as well as build own offshore wind competence upon a strong regional maritime industry.

## Strengths

Stavanger hold the position as Norway's oil&gas capital and with decades of offshore industry development, the supplier cluster in region support and facilitate all aspects of offshore operations. Hence Tananger is ideal for establishing operative control centres and support services for the O&M phase of the Norwegian Offshore wind developments.

NorSea is a professional real estate partner in relation to both developing and operate/maintain various types of infrastructure. With own organization and various suppliers - clients is met professionally on various locations Norseas operates (Norway: Hammerfest, Harstad, Kristiansund, Averøy, Stord, Jelsa, Espevik, Stavanger. Denmark: Esbjerg). Norseas Property manage and partly owns: 4,2 million m2 base areas, warehouses and office buildings.

<https://norseagroup.com/en/bases/norsea-tanangerbase>

### **Role as Offshore Wind (OFW) Port:**


- Operational and maintenance main base
- Logistic centre for Windfarm Operators and Suppliers

### **Contact Information:**

Representative name: Tore Jacobsen

Email: [tore.jacobsen@norseagroup.com](mailto:tore.jacobsen@norseagroup.com)

Phone nr.: +4790860829



# Port overview

|                                    |                                                                                                                                                                                                                |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Tananger, Norway                                                                                                                                                                                               |
| Coordinates                        | 58° 55' 75" N, 05° 35' 40" E                                                                                                                                                                                   |
| Ownership                          | NorSea Group                                                                                                                                                                                                   |
| Activities                         | Offshore installation projects, drilling and operational services, storage and mob/demob of large volume elements, roro-quay, deepwater quays                                                                  |
| Main usage                         | Offshore project mobilisation port. Project support and administrative center for oil&gas majors, service companies and NorSea group.                                                                          |
| Total area (m2) incl. storage area | Quay level area: 400.000 m <sup>2</sup><br>- Outdoor storage: 100.000 m <sup>2</sup><br>- Indoor storage: 33.000 m <sup>2</sup><br>- Workshops Mech: 11.000 m <sup>2</sup><br>- Offices: 55.000 m <sup>2</sup> |
| Quay berth length (m)              | 550m                                                                                                                                                                                                           |
| Quay berth width (m)               | 7-11m                                                                                                                                                                                                          |
| Quay draft (m LAT)                 | 6-11m                                                                                                                                                                                                          |
| Quayside Bearing Capacity(t/m2)    | Bearing 4-10t/m <sup>2</sup>                                                                                                                                                                                   |
| Bearing capacity                   | 70-100t/m2                                                                                                                                                                                                     |
| Craneage capabilities              | 50 – 210 tons                                                                                                                                                                                                  |
| Water depth and seabed conditions  | 8 – 11 meters depth                                                                                                                                                                                            |
| Track record in renewables         |                                                                                                                                                                                                                |

**Proximity to Offshore  
Wind sites**

is in very close proximity (30 nmi) to the initial floating offshore wind area Utsira Nord, and Sørilige Nord-sjøen II ( 130 nmi). Tananger can efficiently support wind farm operations in the northern North Sea /UK as well as the Norwegian Sea.

---

**Proximity of Supply  
Chain**

Stavanger hold the position as an O&G capital, thus the supplier cluster in the region support and facilitate all aspects of offshore operations.

**Ro/Ro Capabilities**

Yes

**Jack up Capabilities**

Yes

---



# NorSea Dusavik, Norway

## Background:

NorSea's supply and mobilisation base in Dusavik (Stavanger) ("Dusavik base") was established in 1980'es. Site has together with Tananger been a cornerstone in the Stavanger regional offshore oil&gas service cluster. Companies established at or mobilising goods and equipment from our base in dusavik, provide an efficient full range services ad supply to the oile&gas industry on the Norwegian Continental Shelf.

## Main features

Site is developed with seven quays with a total of 550 m. Dusavik is supply port with regular shipments that could be supporting offshore wind farm operations

## Strengths

Dusavik base is well established close to city centre with all required social, operational and support services either at site or available in Stavanger Region.

Very good location for development and support of wind farms in the Norwegian Sea.

NorSea is a professional real estate partner in relation to both developing and operate/maintain various types of infrastructure. With own organization and various suppliers - clients is met professionally on various locations Norsesea operates (Norway: Hammerfest, Harstad, Kristiansund, Averøy, Stord, Jelsa, Espevik, Stavanger. Denmark: Esbjerg). Norsesea Property manage and partly owns: 4,2 million m2 base areas, warehouses and office buildings.

<https://norseagroup.com/en/bases/norsea-dusavikbase>

### **Role as Offshore Wind (OFW) Port:**

- Operational and maintenance main base
- Logistic centre for Windfarm Operators and Suppliers

### **Contact Information:**

Representative name: Tore Jacobsen

Email: [tore.jacobsen@norseagroup.com](mailto:tore.jacobsen@norseagroup.com)

Phone nr.: +4790860829



# Port overview

|                                    |                                                                                                                                                                                                                |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Dusavik, Stavanger, Norway                                                                                                                                                                                     |
| Coordinates                        | 59° 00' 00" N, 06° 40' 00" E                                                                                                                                                                                   |
| Ownership                          | NorSea Group                                                                                                                                                                                                   |
| Activities                         | Offshore installation, drilling and operational services, storage and mob/demob of large volume elements, roro-quay, deepwater quays                                                                           |
| Main usage                         | Storage and operational supply and support. Subsea construction mobilisation port.                                                                                                                             |
| Total area (m2) incl. storage area | Quay level area: 300.000 m <sup>2</sup><br>- Outdoor storage: 115.000 m <sup>2</sup><br>- Indoor storage: 23.000 m <sup>2</sup><br>- Workshops Mech: 14.500 m <sup>2</sup><br>- Offices: 22.000 m <sup>2</sup> |
| Quay berth length (m)              | 7 off quays total 550 m                                                                                                                                                                                        |
| Quay berth width (m)               | 11 m / draft 8 m                                                                                                                                                                                               |
| Quay draft (m LAT)                 | Draft 8 - 11 m                                                                                                                                                                                                 |
| Quayside Bearing Capacity(t/m2)    | 10t/m <sup>2</sup>                                                                                                                                                                                             |
| Bearing capacity                   | 70t/m <sup>2</sup>                                                                                                                                                                                             |
| Craneage capabilities              | 50-210 tons                                                                                                                                                                                                    |
| Water depth and seabed conditions  | 8 – 11 meters depth                                                                                                                                                                                            |
| Track record in renewables         | Installation Hywind pilot floating monopile WTG                                                                                                                                                                |

**Proximity to Offshore  
Wind sites**

Site is in very close proximity to the Utsira Nord (33 nmi) floating wind site and 140 nm from Sørliche Nordsjøen II area for fixed bottom developments

---

**Proximity of Supply  
Chain**

Stavanger holds the position as Norway's O&G capital and the supplier cluster in the region support and facilitate all aspects of offshore operations.

**Ro/Ro Capabilities**

Yes

**Jack up Capabilities**

No

---



# NorSea Stordbase, Norway

## Background:

NorSea Stordbase is located at Eldøyane Industripark at Stord(Vestland). Stordbase was established in 1981 with core business being offshore logistics, base activity, terminal and harbour services. Stordbase has developed a high level of knowledge and expertise, in close cooperation with companies that supply equipment and services to the oil and gas industry and wind projects in the North Sea.

## Main features

Site is developed with offices, storage workshops and three quays with a total of 300 m. Quay #3 and Sørøy has water depths outside quay that allow for lifting rigs like Thialf /Saipem 7000 and heavy installation ship Pioneering Spirit to perform lifting operations close to site. The site is a suitable port for serving projects on the Utsira Nord offshore floating wind farm area, and location reduce the distance for sailing /towing to northern North Sea offshore wind farms to a minimum.

## Strengths

Stord base has proven as a very flexible versatile project mobilization base. Project executions include Hywind Scotland Pilot floating wind turbine storage, mounting and mating; storage and handling of 15 000 Johan Sverdrup pipespools; numerous SURF and subsea construction project storage and mobilisations for multiple subsea contractors.

Strong maritime service cluster in primary development area Utsira Nord in Norway.

NorSea is a professional real estate partner in relation to both developing and operate/maintain various types of infrastructure. With own organization and various suppliers

- clients is met professionally on various locations Norsesea operates (Norway: Hammerfest, Harstad, Kristiansund, Averøy, Stord, Jelsa, Espevik, Stavanger. Denmark: Esbjerg). Norsesea Property manage and partly owns: 4,2 million m2 base areas, warehouses and office buildings.

<https://norseagroup.com/en/bases/norsea-stordbase>

### **Role as Offshore Wind (OFW) Port:**


- Storage, Marshalling and offshore installation campaign support.
- Operational and maintenance service base
- Logistic centre for Windfarm Operators and Suppliers

### **Contact Information:**

Representative name: Tore Jacobsen

Email: [tore.jacobsen@norseagroup.com](mailto:tore.jacobsen@norseagroup.com)

Phone nr.:+4790860829



# Port overview

|                                    |                                                                                                                                                                                                             |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Eldøyane, Stord, Norway                                                                                                                                                                                     |
| Coordinates                        | 59° 45' 27" N, 5° 29' 02" E                                                                                                                                                                                 |
| Ownership                          | Nor Sea and Stord Municipality                                                                                                                                                                              |
| Activities                         | Ready to use. Storage and mob/demob of large volume elements, ro-ro-quay, deepwater access                                                                                                                  |
| Main usage                         | Storage and pre-assembly of WTGs, mooring and array cables project reparations and installation support.                                                                                                    |
| Total area (m2) incl. storage area | Quay level area: 100.000 m <sup>2</sup><br>- Outdoor storage: 95.000 m <sup>2</sup><br>- Indoor storage/workshops: 4.000 m <sup>2</sup> / 800 m <sup>2</sup>                                                |
| Quay berth length (m)              | 18-145m                                                                                                                                                                                                     |
| Quay berth width (m)               | 9-50m                                                                                                                                                                                                       |
| Quay draft (m LAT)                 | 9-50m                                                                                                                                                                                                       |
| Quayside Bearing Capacity(t/m2)    | 5-10t/m <sup>2</sup>                                                                                                                                                                                        |
| Bearing capacity                   | Solid Rock With minimum 22 t/m <sup>2</sup>                                                                                                                                                                 |
| Craneage capabilities              | 45 – 220 tons                                                                                                                                                                                               |
| Water depth and seabed conditions  | 9-50m<br>Sheltered fjord close to main marine traffic route.                                                                                                                                                |
| Track record in renewables         | Stord Site supported the storage and topside WTG assembly of first offshore floating wind farm Hywind Scotland. Further storage, handling and load-out of Mooring chains and equipment for Hywind Scotland. |

|                                         |                                                                                                                                                                                          |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Proximity to Offshore Wind sites</b> | Site is in very close proximity (50 nm) to the initial floating offshore wind area Utsira Nord and developing wind farm areas in the northern North Sea /UK as well as the Norwegian Sea |
| <b>Proximity of Supply Chain</b>        | Stord Industry Cluster , holds a long and renowned experience in providing services, engineering and construction projects the O&G industry                                              |
| <b>Ro/Ro Capabilities</b>               | Yes                                                                                                                                                                                      |
| <b>Jack up Capabilities</b>             | Yes                                                                                                                                                                                      |



# NorSea Vestbase, Norway

## Background:

Norsea's supplybase in Kristiansund ("Vestbase") was established in 1980, and are developed into a cluster of 50-60 companies/suppliers serving oil&gas industry and other industries.

## Main features

"Vestbase" represents a dynamic cluster, with great capacity within key elements such as: infrastructure, machines, personnel categories and a broad range of suppliers of goods and services. Located only 5 min to city center and Kvernberget Airport/heliport. The site is next to the coastline, reducing the distance for sailing/towing the fjords to a minimum. Norsesea Vestbase has great experience in heavy load operations in relation to numerous field development campaigns since the 90's

## Strengths

Site is developed, with well established supplier network. Logistical transit routes (road/sea) are also well established with regular routes (incl ro-ro-vessel).

The mixture of great infrastructure, range of suppliers, Kristiansund city with its features, airport/heliport and general geographical location secures Norsesea Vestbase as a preferred logistical partner.

NorSea is a professional real estate partner in relation to both developing and operate/maintain various types of infrastructure. With own organization and various suppliers - clients is met professionally on various locations Norsesea operates (Norway: Hammerfest, Harstad, Kristiansund, Averøy, Stord, Jelsa, Espevik, Stavanger. Denmark: Esbjerg). Norsesea Property manage and partly owns: 4,2 million m<sup>2</sup> base areas, warehouses and office buildings.

Additional relevant information: [norseagroup.com](http://norseagroup.com)

### **Role as Offshore Wind (OFW) Port:**


- Logistic centre for Windfarm Operators
- and and Suppliers
- Pre-assembly / intergration

### **Contact Information:**

Representative name: Tore Jacobsen

Email: [tore.jacobsen@norseagroup.com](mailto:tore.jacobsen@norseagroup.com)

Phone nr.: +4790860829



# Port overview

|                                    |                                                                                                                                                                    |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Kristiansund, Norway                                                                                                                                               |
| Coordinates                        | 63° 06' 17.6" N, 007° 46' 46.0" E                                                                                                                                  |
| Ownership                          | Norsea Property AS (private)                                                                                                                                       |
| Activities                         | Supplybase and industrial cluster with various relevant suppliers established                                                                                      |
| Main usage                         | Logistical support for vessel calls and offshore installations. Long experience in field development support, heavy lift operations and special mob/demob projects |
| Total area (m2) incl. storage area | Gross approx 500.000 m <sup>2</sup>                                                                                                                                |
| Quay berth length (m)              | Length 840m multiple quays                                                                                                                                         |
| Quay berth width (m)               | Draft 7 to 21 m                                                                                                                                                    |
| Quay draft (m LAT)                 |                                                                                                                                                                    |
| Quayside Bearing Capacity(t/m2)    | 5 to 30 T/m <sup>2</sup>                                                                                                                                           |
| Bearing capacity                   | 5-30 t/m <sup>3</sup> and 55-120 t/m <sup>2</sup>                                                                                                                  |
| Craneage capabilities              | Various harbor cranes + 600t crawler crane                                                                                                                         |
| Water depth and seabed conditions  | 7,3-21,4m                                                                                                                                                          |
| Track record in renewables         | N/A                                                                                                                                                                |
| Proximity to Offshore Wind sites   | is in close proximity to the fields in the Norwegian Sea                                                                                                           |

|                                  |                                                                                                                                                                                                     |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Proximity of Supply Chain</b> | Proximity of Supply Chain City of Kristiansund has been and are serving e.g. the oil&gas industry, aqua-industry and shipyard industry for decades – and are well developed – and locally available |
| <b>Ro/Ro Capabilities</b>        | Yes                                                                                                                                                                                                 |
| <b>Jack up Capabilities</b>      | No                                                                                                                                                                                                  |

---



# NorSea Averøy, Norway

## Background:

NorSea's supplybase in Kristiansund ("Vestbase") was established in 1980, and are developed into a cluster of 50-60 companies/suppliers serving oil&gas industry and other industries. In 2012 NorSea acquired the described site at Averøy, which since then has been developed into a large attractive site with great location and capacities. Various project has been executed at site, and new projects are being considered/developed.

## Main features

Site is developed, with two quays. Close to the city of Kristiansund, with a broad range of suppliers established, hotels and airport etc. The site is next to the coastline, reducing the distance for sailing/towing the fjords to a minimum.

## Strengths

Site is developed, with potential/plans for new special infrastructure elements (such as a ultra deepwater quay) or further expansions. Very good location for development and support of wind farms in the Norwegian Sea.

NorSea is a professional real estate partner in relation to both developing and operate/maintain various types of infrastructure. With own organization and various suppliers - clients is met professionally on various locations Norsea operates (Norway: Hammerfest, Harstad, Kristiansund, Averøy, Stord, Jelsa, Espevik, Stavanger. Denmark: Esbjerg). Norsea Property manage and partly owns: 4,2 million m2 base areas, warehouses and office buildings.

Additional relevant information: [norseagroup.com](http://norseagroup.com)

### **Role as Offshore Wind (OFW) Port:**


- Pre-assembly / intergration

### **Contact Information:**

Representative name: Tore Jacobsen

Email: [tore.jacobsen@norseagroup.com](mailto:tore.jacobsen@norseagroup.com)

Phone nr.:+4790860829



# Port overview

|                                    |                                                                                                                                                                              |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Averøy, Norway                                                                                                                                                               |
| Coordinates                        | 63° 03' 12.4" N, 007° 40' 01.3" E                                                                                                                                            |
| Ownership                          | Norsea Property AS (private)                                                                                                                                                 |
| Activities                         | Ready to use. Storage and mob/demob of large volume elements, rig calls, roro-quay, deepwater                                                                                |
| Main usage                         | Storage and pre-assembly with further potential.                                                                                                                             |
| Total area (m2) incl. storage area | Quay level area (green on ill.): 200.000 m <sup>2</sup><br>- Level 2 (blue on ill.) : 40.000 m <sup>2</sup><br>- Optional development area: 100.000 m <sup>2</sup>           |
| Quay berth length (m)              | 20-80m                                                                                                                                                                       |
| Quay berth width (m)               |                                                                                                                                                                              |
| Quay draft (m LAT)                 | 7,5-16m                                                                                                                                                                      |
| Quayside Bearing Capacity(t/m2)    | 10-20t/m <sup>2</sup>                                                                                                                                                        |
| Bearing capacity                   |                                                                                                                                                                              |
| Craneage capabilities              | Water depth and seabed conditions Quay #21 has 20+ meter dept just few meters outside quayside. A potential new quay on southern side of site may have 20-30 meter waterdept |
| Water depth and seabed conditions  |                                                                                                                                                                              |
| Track record in renewables         | N/A                                                                                                                                                                          |
| Proximity to Offshore Wind sites   | Site is in close proximity to the fields in the Norwegian Sea                                                                                                                |

**Proximity of Supply Chain**

City of Kristiansund has been and are serving e.g. the oil&gas industry, aqua-industry and shipyard industry for decades – and are well developed – and locally available

**Ro/Ro Capabilities**

Yes

**Jack up Capabilities**

No

---



# AF Environmental Base Vats

## Background:

The Vats facility was developed in 1980 for construction of large Oil & Gas GBS platforms. Troll A, the largest structure ever moved was constructed in Vats. Vats was selected due to the sheltered location and extreme water depth (400m) AF Gruppen took over the site in 2004 and further expanded the site. Since then the site has been used for various construction and decommissioning projects.

## Main features

Extreme weather depth in fjord and at quay, no width or length limitation. Can accommodate any type of vessel/rig. Multiple high strength mooring points around the fjord (up to 1300 ton). High strength deep water quay that can accommodate more than 20 000 ton load in/out.

Green shore power and water supply available.  
AF Gruppen is its own Port authority.

## Strengths

Large Wet storage area, Extreme water depth, high strength quay and storage areas. Sheltered towards wind and waves, no swell. Typical tide difference 0.6 m. No entry restrictions. Located in area with strong supply chain towards offshore industry.

## Additional relevant information:

Suitable rock resource on site – i.e. for concrete aggregate.  
Updated site development plan under development, multiple expansion options already approved. After expansion site can be expanded to more than 300 000 m<sup>2</sup>

## Role as Offshore Wind (OFW) Port:

- Manufacturing of OFW foundations
- Pre-assembly / installation
- O&M
- Decommissioning

### Contact Information:

Representative name: Eirik Lind Hånes

Email: Eiriklind.hanes@afgruppen.no

Phone nr.: +47 45453451

## Port overview

|                                    |                                                                                   |
|------------------------------------|-----------------------------------------------------------------------------------|
| Location                           | Raunesvegen 597, 5578 Nedre Vats                                                  |
| Coordinates                        | 59° 26.46' N, 5° 44.83' E                                                         |
| Ownership                          | AF Gruppen ASA                                                                    |
| Activities                         | Heavy lift, load in/out, construction, service, mob/demob, decommissioning        |
| Main usage                         | Offshore construction, offshore wind, decommissioning                             |
| Total area (m2) incl. storage area | 135 000 m <sup>2</sup> onshore (expandable)<br>3 km <sup>2</sup> wet storage area |
| Quay berth length (m)              | 762 m (ships up to 400 m length)                                                  |
| Quay berth width (m)               | 700 m (no practical width restriction)                                            |
| Quay draft (m LAT)                 | 23.5 m (rapidly increase from quay front)                                         |
| Quayside Bearing Capacity(t/m2)    | 10 ton/m <sup>2</sup> or higher, with strong points/zones with higher capacity    |
| Bearing capacity                   | up to 630 ton/m <sup>2</sup>                                                      |
| Craneage capabilities              | LR 1300, can support most heavy lift cranes                                       |
| Water depth and seabed conditions  | 6 – 400m, rock, silt                                                              |

|                                         |                                             |
|-----------------------------------------|---------------------------------------------|
| <b>Track record in renewables</b>       | Load out and assembly, concrete foundations |
| <b>Proximity to Offshore Wind sites</b> | Utsira Nord, ~100 km                        |
| <b>Proximity of Supply Chain</b>        | Most services are available nearby          |
| <b>Ro/Ro Capabilities</b>               | Yes                                         |
| <b>Jack up Capabilities</b>             | Yes - but rock dump/leveling required       |



# NorSea Polarbase, Norway

## Background:

Norsea's supplybase in Hammerfest (Polarbase) was established in 1985, and are developed into a cluster of 30-40 companies/suppliers serving oil&gas industry and other industries.

## Main features

Polarbase represents a dynamic cluster, with great capacity within key elements such as: infrastructure, machines, personnel categories and a broad range of suppliers of goods and services. Located only 10 min to city center and Hammerfest Airport/heliport. The site is main supply base and logistics hub for the e Barents Sea. Norsesea Polarbase has great experience in heavy load operations in relation to field development campaigns and other projects.

## Strengths

Site is developed, with well established supplier network. Logistical transit routes (road/sea) are also well established with regular routes (incl ro-ro-vessel).

The mixture of great infrastructure, range of suppliers, Hammerfest city with its features, airport/heliport and general geographical location secures Norsesea Polarbase as a preferred logistical partner.

NorSea is a professional real estate partner in relation to both developing and operate/maintain various types of infrastructure. With own organization and various suppliers - clients is met professionally on various locations Norsesea operates (Norway: Hammerfest, Harstad, Kristiansund, Averøy, Stord, Jelsa, Espevik, Stavanger. Denmark: Esbjerg). Norsesea Property manage and partly owns: 4,2 million m<sup>2</sup> base areas, warehouses and office buildings.

Additional relevant information: [norseagroup.com](http://norseagroup.com)

### **Role as Offshore Wind (OFW) Port:**

- Logistic centre for Windfarm Operators and Suppliers
- Pre-assembly / integration

### **Contact Information:**

Representative name: Tore Jacobsen

Email: [tore.jacobsen@norseagroup.com](mailto:tore.jacobsen@norseagroup.com)

Phone nr.: +4790860829



# Port overview

|                                    |                                                                                                                                                                     |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Hammerfest, Norway                                                                                                                                                  |
| Coordinates                        | 70° 38.13' N 23° 39.82' E                                                                                                                                           |
| Ownership                          | Polarbase Eiendom AS (private)                                                                                                                                      |
| Activities                         | Supplybase and industrial cluster with various relevant suppliers established                                                                                       |
| Main usage                         | Logistical support, offshore installations, aqua activity, field development support, heavy lift operations and special mob/demob projects                          |
| Total area (m2) incl. storage area | Gross approx 500.000 m <sup>2</sup><br>Outdoor storage 350 000 m <sup>2</sup>                                                                                       |
| Quay berth length (m)              | 560m                                                                                                                                                                |
| Quay berth width (m)               |                                                                                                                                                                     |
| Quay draft (m LAT)                 | 10-22m                                                                                                                                                              |
| Quayside Bearing Capacity(t/m2)    | 10t/m <sup>2</sup>                                                                                                                                                  |
| Bearing capacity                   | 5-30t/m <sup>3</sup> and 55-120t/m <sup>2</sup>                                                                                                                     |
| Craneage capabilities              | Various harbor cranes + 600t crawler crane (per 2023)                                                                                                               |
| Water depth and seabed conditions  | 10-22m                                                                                                                                                              |
| Track record in renewables         | N/A                                                                                                                                                                 |
| Proximity to Offshore Wind sites   | Site is in close proximity to the fields in the Norwegian Sea                                                                                                       |
| Proximity of Supply Chain          | City of Hammerfest has been and are serving e.g. the O&G industry, aqua-industry and shipyard industry for decades – and are well developed – and locally available |

Ro/Ro Capabilities Yes

Jack up Capabilities No

---



# NorSea Espevik, Norway

## Background:

NorSea's Offshore and AquaBase in Espevik is a joint infrastructure project established in 2022, to serve both the offshore wind and aquaculture developments for NorSea clients and stakeholders. Building upon NorSea's strong Oil&Gas presence in Stavanger-region the Espevik base represent up to 280 000 m<sup>3</sup>'s of seafaced industry area being developed for temporary storage, assembly, marshalling and preparation for offshore installation campaigns. The Espevik site is also approved for land-based salmon smolt production, enabling biological capacity for realization of the of the offshore salmon farming value chain- another of Norway's new focus sectors

## Main features

Located close to the city of Haugesund and Stavanger, with all required services for efficient project support and logistics. The site has immediate access to the Boknafjord system, reducing the distance for sailing/towing the floating wind foundations, anchorage and all subsea infrastructure to offshore wind sites.


## Strengths

Site is a prestine offshore base available in the the same strong maritime region as the initial Utsira Nord licence area. By reuse of an old rock quarry Espevik has a good ESG profile. This offering both suppliers and operators high flexibility in utilisation and an opportunity to establish a modern offshore assembly and support base for the developing wind farm operations I Norway and the northern North Sea .

NorSea is a professional real estate partner in relation to both developing and operate/maintain various types of infrastructure. With own organization and various suppliers - clients is met professionally on various locations Norseas operates (Norway: Hammerfest, Harstad, Kristiansund, Averøy, Stord, Jelsa, Espevik, Stavanger. Denmark: Esbjerg). Norseas Property manage and partly owns: 4,2 million m<sup>2</sup> base areas, warehouses and office buildings.

### Role as Offshore Wind (OFW) Port:

- Manufacturing of OFW components
- Pe-assembly / intergration
- Marshalling / installation campaign prep.
- O&M



# Port overview

|                                    |                                                                                                                                     |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Location                           | Espevik, Norway                                                                                                                     |
| Coordinates                        | 59°20'33.3"N 5°39'46.0"E                                                                                                            |
| Ownership                          | Long term lease contract                                                                                                            |
| Activities                         | Assembly, Marhalling and production                                                                                                 |
| Main usage                         | Storage, production, and assembly of component, marshaling of jackets and monopiles, marshaling and mobilization of mooring systems |
| Total area (m2) incl. storage area | 280 000m <sup>2</sup>                                                                                                               |
| Quay berth length (m)              |                                                                                                                                     |
| Quay berth width (m)               |                                                                                                                                     |
| Quay draft (m LAT)                 | 8-11m                                                                                                                               |
| Quayside Bearing Capacity(t/m2)    | 5-10t/m <sup>2</sup>                                                                                                                |
| Bearing capacity                   | Whole area is an abandoned rock quarry and high bearing capacity                                                                    |
| Craneage capabilities              |                                                                                                                                     |
| Water depth and seabed conditions  | 8-11m<br>Rock and sand                                                                                                              |
| Track record in renewables         |                                                                                                                                     |
| Proximity to Offshore Wind sites   | Utsira Nord (50 nmi), and Sørliche Nordsjøen II (150 nmi)                                                                           |
| Proximity of Supply Chain          | Located 30 minutes from Haugesund in strong maritime industry and O&G region                                                        |
| Ro/Ro Capabilities                 | Yes, planned 70m width                                                                                                              |
| Jack up Capabilities               | Yes, planned 12m depth                                                                                                              |

# Ports

In the NOWPorts project we have more than 50 industry players. The industry players cover the whole supply chain and includes; Developers, O&Ms, Suppliers, and logistics.

| Name                                                                                                                                                                                                                  | Description                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <b>Port of Grenaa</b><br><small>Support your business</small><br><a href="http://www.port-of-grenaa.com">www.port-of-grenaa.com</a> | <p>Denmark's most central deep-water port - the gateway to the Kattegat. One of the Denmark's largest industrial and commercial ports.</p>                                                     |
| <b>ESBJERG HAVN</b><br><a href="http://portesbjerg.dk/">portesbjerg.dk/</a>                                                                                                                                           | <p>Denmark's leading offshore port, a hub for cargo transport in northern Europe and one of the world's largest originating ports for wind power.</p>                                          |
|  <b>PORT OF ROENNE</b><br><small>Together we create</small><br><a href="http://roennehavn.dk">roennehavn.dk</a>                    | <p>Bornholm's supply port and Denmark's easternmost industrial port. Centrally located in the Baltic Sea, providing a varied range of maritime services.</p>                                   |
|  <b>NorSea</b><br><a href="http://norseagroup.com/en/">norseagroup.com/en/</a>                                                     | <p>One-stop-shop service provider to the entire energy industry. Focus on operational costs efficiency; reducing emissions and minimizing complexity through digitalization and automation</p> |
|  <b>SEMCO</b><br><small>maritime</small><br><a href="http://www.semcomaritime.com/">www.semcomaritime.com/</a>                     | <p>Specializes in Oil &amp; Gas, Offshore Wind and Power Generation. Provide the global energy sector with project engineering, solutions and competences.</p>                                 |
|  <b>PORT OF AALBORG</b><br><a href="https://portofaalborg.dk/">https://portofaalborg.dk/</a>                                       | <p>North Denmark's largest logistics hub with a focus on the realization of the municipality's business and sustainable strategies.</p>                                                        |



**Port of Gävle**

[gavlehamn.se](http://gavlehamn.se)

The largest logistics hub in Central Sweden. An efficient, intermodal logistics centre where shipping, rail and road transports meet.



[www.trelleborgshamn.se](http://www.trelleborgshamn.se)

Port of Trelleborg is the largest RoRo port in Scandinavia (for rolling traffic). The largest rail ferries in the world operate at Port of Trelleborg and it is Baltic Sea's largest railway port.



[portofgothenburg.com/](http://portofgothenburg.com/)

The largest port in the Nordic countries. The only Swedish port with the capacity to cope with the largest modern, ocean-going container ships.



**KARMSUND  
HAVN**

[karmsundhavn.no/en/home/](http://karmsundhavn.no/en/home/)

The leading maritime logistics hub for the west coast of Norway. Inter-municipal company (IKS), located in the offshore wind capitol of Norway.



**EIGERSUND  
NÆRING OG HAVN KF**

[enhkf.no/en/eigersund-naering-havn-en/](http://enhkf.no/en/eigersund-naering-havn-en/)

Natural harbor that works actively to develop viable industrial areas and functions as a supportive for new establishments. Strives to ensure a scene for competitive, sustainable and cooperative businesses.



[www.wergeland.com/](http://www.wergeland.com/)

Modern large offshore base with a comprehensive track record, capable of handling large projects for the Oil, gas, and renewables industry.



[www.gotnorway.com/](http://www.gotnorway.com/)

An Offshore/Marine technology group in southern part of Norway. Provides all design, engineering and documentation required to build ships, floating structures and platforms.



[westconhelgeland.no](http://westconhelgeland.no)

Offers ship repair, fabrication, rig service, and design and engineering solutions. Located close to the North Sea, it is the perfect geographical location eases rigs and ships to a quick return to full activity.



[windport.no/](http://windport.no/)

The southernmost port in Norway with proximity to offshore wind projects in Northern Europe and a well-established supply industry with decades of experience from maritime and energy industries.



[stavangerhavn.no](http://stavangerhavn.no)

The largest port in the Nordic countries. The only Swedish port with the capacity to cope with the largest modern, ocean-going container ships.



[portofkristiansand.no](http://portofkristiansand.no)

The region's leading Offshore Supply port with Europe's largest onshore power plant. Owns and operates: ferry / container / cruise ships / wet and dry bulk / general cargo / offshore/supply (OSP) terminals.



[fjordbase.no](http://fjordbase.no)

Involved in generating business activity in the local community. Has operations in the oil and gas sector, and in technical services, property development, aquaculture and industrial maintenance.



[karmsundgroup.no](http://karmsundgroup.no)

Strategically located in the sheltered straits of the Karmsund. With a long shoreline and quayside to facilitate logistics, it is perfectly fit to serve as an offshore service base.




[ascoworld.com](https://ascoworld.com)

Provides a total and comprehensive package of Supply Base Services, Marine Management and Freight Management to the energy industries globally. A multiuse provider of ports and infrastructure in and around the North Sea basin.



[hausvikenergyyard.no](https://hausvikenergyyard.no)

Aims to develop and operate Hausvik Energy Yard in Lyngdal and create local jobs through a joint commitment to offshore wind and other projects within renewable energy. Offers a 300 000 m2 industrial plot with deepwater quay and infrastructure, ready for projects from 2024/25.



[utsira.kommune.no](https://utsira.kommune.no)

Will offer inspection, maintenance, and a substation to support the offshore industry in the area, especially the future offshore wind farm at Utsira North.



[afgruppen.com](https://afgruppen.com)

Custom built to handle offshore installations and other marine structures. One of Europe's most modern and environmentally sound reception facilities for discarded offshore installations.

# Want to know more? Contact one of the persons from Nordic Cluster

## **Energy Cluster Denmark**

Charlotte Baumgartner

email: [clb@energycluster.dk](mailto:clb@energycluster.dk)



## **OffshoreVäst Sweden**

Nermina Saracevic

email: [nermina.saracevic@ri.se](mailto:nermina.saracevic@ri.se)



## **Norwegian Offshore Wind**

Astrid Green

email: [ag@norwegianoffshorewind.no](mailto:ag@norwegianoffshorewind.no)

Christopher Harman

email: [ch@norwegianoffshorewind.no](mailto:ch@norwegianoffshorewind.no)

